

Fiery proServer and Fiery XF 8.0 supported cutters

| Cutter Brand | Cutter Model | Required Product Option |
|-----------------|--------------------|---------------------------------|
| ACS | C13 | Cut Server Option (Version 3.0) |
| ACS | C15 | Cut Server Option (Version 3.0) |
| ACS | C24 | Cut Server Option (Version 3.0) |
| ACS | C30 | Cut Server Option (Version 3.0) |
| ACS | C40 | Cut Server Option (Version 3.0) |
| ACS | C48 | Cut Server Option (Version 3.0) |
| ACS | C60 | Cut Server Option (Version 3.0) |
| ACS | S13 | Cut Server Option (Version 3.0) |
| ACS | S13-USB | Cut Server Option (Version 3.0) |
| ACS | S15 | Cut Server Option (Version 3.0) |
| ACS | S15-USB | Cut Server Option (Version 3.0) |
| ACS | S24 | Cut Server Option (Version 3.0) |
| ACS | S24-USB | Cut Server Option (Version 3.0) |
| ACS | S30 | Cut Server Option (Version 3.0) |
| ACS | S30-USB | Cut Server Option (Version 3.0) |
| ACS | S40 | Cut Server Option (Version 3.0) |
| ACS | S40-USB | Cut Server Option (Version 3.0) |
| ACS | S48 | Cut Server Option (Version 3.0) |
| ACS | S48-USB | Cut Server Option (Version 3.0) |
| ACS | S60 | Cut Server Option (Version 3.0) |
| ACS | S60-USB | Cut Server Option (Version 3.0) |
| Allen Datagraph | 220 | Cut Server Option (Version 3.0) |
| Allen Datagraph | 224 | Cut Server Option (Version 3.0) |
| Allen Datagraph | 230 | Cut Server Option (Version 3.0) |
| Allen Datagraph | 530 GTS | Cut Server Option (Version 3.0) |
| Allen Datagraph | 536 | Cut Server Option (Version 3.0) |
| Allen Datagraph | 724 | Cut Server Option (Version 3.0) |
| Allen Datagraph | 824 | Cut Server Option (Version 3.0) |
| Allen Datagraph | 830 | Cut Server Option (Version 3.0) |
| Allen Datagraph | 836 | Cut Server Option (Version 3.0) |
| Allen Datagraph | 840 | Cut Server Option (Version 3.0) |
| Allen Datagraph | 848 | Cut Server Option (Version 3.0) |
| Allen Datagraph | 860 | Cut Server Option (Version 3.0) |
| Allen Datagraph | 936 | Cut Server Option (Version 3.0) |
| Allen Datagraph | 1036 | Cut Server Option (Version 3.0) |
| Allen Datagraph | 1048 | Cut Server Option (Version 3.0) |
| Allen Datagraph | 1060 | Cut Server Option (Version 3.0) |
| Allen Datagraph | DFS | Cut Server Option (Version 3.0) |
| ALPHATECH | S48-USB | Cut Server Option (Version 3.0) |
| ALPHATECH | S24 | Cut Server Option (Version 3.0) |
| ALPHATECH | S24-USB | Cut Server Option (Version 3.0) |
| ALPHATECH | S48 | Cut Server Option (Version 3.0) |
| AM.CO.ZA | AM-Generic DMPL | Cut Server Option (Version 3.0) |
| AM.CO.ZA | AM-Generic HPGL | Cut Server Option (Version 3.0) |
| AM.CO.ZA | V-Auto V6-1500-AML | Cut Server Option (Version 3.0) |
| AM.CO.ZA | V-Auto V6-1800-AML | Cut Server Option (Version 3.0) |
| AM.CO.ZA | V-Auto V6-900-AML | Cut Server Option (Version 3.0) |
| AM.CO.ZA | V-Series V-1120 | Cut Server Option (Version 3.0) |
| AM.CO.ZA | V-Series V-1130 | Cut Server Option (Version 3.0) |
| AM.CO.ZA | V-Series V-1330 | Cut Server Option (Version 3.0) |
| AM.CO.ZA | V-Series V-1360 | Cut Server Option (Version 3.0) |

Fiery proServer and Fiery XF 8.0 supported cutters

| Cutter Brand | Cutter Model | Required Product Option |
|--------------|-----------------------------------|---------------------------------|
| AM.CO.ZA | V-Series V-1660 | Cut Server Option (Version 3.0) |
| AM.CO.ZA | V-Series V-1700 | Cut Server Option (Version 3.0) |
| AM.CO.ZA | V-Series V-360 | Cut Server Option (Version 3.0) |
| AM.CO.ZA | V-Series V-800 | Cut Server Option (Version 3.0) |
| AM.CO.ZA | V-Series V-850 | Cut Server Option (Version 3.0) |
| AM.CO.ZA | V-Smart V3-1080 | Cut Server Option (Version 3.0) |
| AM.CO.ZA | V-Smart V3-1310 | Cut Server Option (Version 3.0) |
| AM.CO.ZA | V-Smart V3-1660 | Cut Server Option (Version 3.0) |
| AM.CO.ZA | V-Smart V3-440 | Cut Server Option (Version 3.0) |
| AM.CO.ZA | V-Smart V3-740 | Cut Server Option (Version 3.0) |
| AM.CO.ZA | V-Smart+ V3-1360-AML | Cut Server Option (Version 3.0) |
| AM.CO.ZA | V-Smart+ V3-1660-AML | Cut Server Option (Version 3.0) |
| AnaGraph | Express-101 | Cut Server Option (Version 3.0) |
| AnaGraph | Express-101E | Cut Server Option (Version 3.0) |
| AnaGraph | Express-120 | Cut Server Option (Version 3.0) |
| AnaGraph | Express-120E | Cut Server Option (Version 3.0) |
| AnaGraph | Express-60 | Cut Server Option (Version 3.0) |
| AnaGraph | Express-60E | Cut Server Option (Version 3.0) |
| AnaGraph | Express-70 | Cut Server Option (Version 3.0) |
| AnaGraph | Express-75E | Cut Server Option (Version 3.0) |
| Aoke | Aoke-Cutter | Cut Server Option (Version 3.0) |
| APD | PD-2400 | Cut Server Option (Version 3.0) |
| APD | PD-3000 | Cut Server Option (Version 3.0) |
| APD | PD-4000 | Cut Server Option (Version 3.0) |
| APD | PD-4800 | Cut Server Option (Version 3.0) |
| Argus | AG-Mini4030 | Cut Server Option (Version 3.0) |
| Argus | AG-SCU1060 | Cut Server Option (Version 3.0) |
| Argus | AG-SCU1290 | Cut Server Option (Version 3.0) |
| Aristo | AG 130 Signline | Cut Server Option (Version 3.0) |
| Aristo | AG 1301 Signline | Cut Server Option (Version 3.0) |
| Aristo | AG 50 Signline | Cut Server Option (Version 3.0) |
| Aristo | AG 75 Signline | Cut Server Option (Version 3.0) |
| Aristo | Aristograph 1200 | Cut Server Option (Version 3.0) |
| Aristo | Aristograph 50 | Cut Server Option (Version 3.0) |
| Aristo | Aristograph 600 | Cut Server Option (Version 3.0) |
| Aristo | Aristomat 1310 | Cut Server Option (Version 3.0) |
| Aristo | Aristomat 1310x10 | Cut Server Option (Version 3.0) |
| Aristo | Aristomat 1317 | Cut Server Option (Version 3.0) |
| Aristo | Aristomat 1317x10 | Cut Server Option (Version 3.0) |
| Aristo | Aristomat 1617 | Cut Server Option (Version 3.0) |
| Aristo | Aristomat 1617x10 | Cut Server Option (Version 3.0) |
| Aristo | Aristomat 1625 | Cut Server Option (Version 3.0) |
| Aristo | Aristomat 1625x10 | Cut Server Option (Version 3.0) |
| Aristo | Aristomat 202/212 Auto SLP | Cut Server Option (Version 3.0) |
| Aristo | Aristomat 202/212 Auto XOn/XOff | Cut Server Option (Version 3.0) |
| Aristo | Aristomat 202/212 Manual SLP | Cut Server Option (Version 3.0) |
| Aristo | Aristomat 202/212 Manual XOn/XOff | Cut Server Option (Version 3.0) |
| Aristo | Aristomat 204/214 Auto SLP | Cut Server Option (Version 3.0) |
| Aristo | Aristomat 204/214 Auto XOn/XOff | Cut Server Option (Version 3.0) |
| Aristo | Aristomat 204/214 Manual SLP | Cut Server Option (Version 3.0) |
| Aristo | Aristomat 204/214 Manual XOn/XOff | Cut Server Option (Version 3.0) |

Fiery proServer and Fiery XF 8.0 supported cutters

| Cutter Brand | Cutter Model | Required Product Option |
|--------------|-----------------------------------|---------------------------------|
| Aristo | Aristomat 205 Manual SLP | Cut Server Option (Version 3.0) |
| Aristo | Aristomat 205 Manual XOn/XOff | Cut Server Option (Version 3.0) |
| Aristo | Aristomat 206/216 Auto SLP | Cut Server Option (Version 3.0) |
| Aristo | Aristomat 206/216 Auto XOn/XOff | Cut Server Option (Version 3.0) |
| Aristo | Aristomat 206/216 Manual SLP | Cut Server Option (Version 3.0) |
| Aristo | Aristomat 206/216 Manual XOn/XOff | Cut Server Option (Version 3.0) |
| Aristo | Aristomat 218 Manual XOn/XOff | Cut Server Option (Version 3.0) |
| Aristo | Aristomat 218 Manual SLP | Cut Server Option (Version 3.0) |
| Aristo | Aristomat 308 SLP | Cut Server Option (Version 3.0) |
| Aristo | Aristomat 308 | Cut Server Option (Version 3.0) |
| Aristo | Aristomat 309 SLP | Cut Server Option (Version 3.0) |
| Aristo | Aristomat 309 | Cut Server Option (Version 3.0) |
| Aristo | GL 2032-8 | Cut Server Option (Version 3.0) |
| Aristo | GL 2072-8 | Cut Server Option (Version 3.0) |
| Aristo | GL 20xx-C | Cut Server Option (Version 3.0) |
| Aristo | GL 2232-8 | Cut Server Option (Version 3.0) |
| Aristo | GL 2432-8 | Cut Server Option (Version 3.0) |
| Aristo | GL 3132-8 | Cut Server Option (Version 3.0) |
| Aristo | GL 3152-8 | Cut Server Option (Version 3.0) |
| Aristo | GL 3232-8 | Cut Server Option (Version 3.0) |
| Aristo | GL 3252-8 | Cut Server Option (Version 3.0) |
| Aristo | GL 4232-8 | Cut Server Option (Version 3.0) |
| Aristo | GL 4252-8 | Cut Server Option (Version 3.0) |
| Aristo | LFC 2332 | Cut Server Option (Version 3.0) |
| Aristo | LFC 2352 | Cut Server Option (Version 3.0) |
| Aristo | LFC 2372 | Cut Server Option (Version 3.0) |
| Aristo | LFC 23xx-C | Cut Server Option (Version 3.0) |
| Aristo | LFC 3332 | Cut Server Option (Version 3.0) |
| Aristo | LFC 3352 | Cut Server Option (Version 3.0) |
| Aristo | LFC 3372 | Cut Server Option (Version 3.0) |
| Aristo | LFC 33xx-C | Cut Server Option (Version 3.0) |
| Aristo | LFC 5232 | Cut Server Option (Version 3.0) |
| Aristo | LFC 5252 | Cut Server Option (Version 3.0) |
| Aristo | LFC 5272 | Cut Server Option (Version 3.0) |
| Aristo | LFC 52xx-C | Cut Server Option (Version 3.0) |
| Aristo | TL 1310-8 | Cut Server Option (Version 3.0) |
| Aristo | TL 13xx-C | Cut Server Option (Version 3.0) |
| Aristo | TL 1617-8 | Cut Server Option (Version 3.0) |
| Aristo | TL 1625-8 | Cut Server Option (Version 3.0) |
| Aristo | TL 16xx-C | Cut Server Option (Version 3.0) |
| Aristo | TL 1917 | Cut Server Option (Version 3.0) |
| Aristo | TL 1925 | Cut Server Option (Version 3.0) |
| Aristo | TL 19xx-C | Cut Server Option (Version 3.0) |
| Aristo | TL 48 | Cut Server Option (Version 3.0) |
| ArtCreation | ART-1200E | Cut Server Option (Version 3.0) |
| ArtCreation | ART-1200H | Cut Server Option (Version 3.0) |
| ArtCreation | ART-1200P | Cut Server Option (Version 3.0) |
| ArtCreation | ART-1200S | Cut Server Option (Version 3.0) |
| ArtCreation | ART-1700H | Cut Server Option (Version 3.0) |
| ArtCreation | ART-1700P | Cut Server Option (Version 3.0) |
| ArtCreation | ART-630E | Cut Server Option (Version 3.0) |

Fiery proServer and Fiery XF 8.0 supported cutters

| Cutter Brand | Cutter Model | Required Product Option |
|---------------|--------------------|---------------------------------|
| ArtCreation | ART-630H | Cut Server Option (Version 3.0) |
| ArtCreation | ART-630P | Cut Server Option (Version 3.0) |
| ArtCreation | ART-630S | Cut Server Option (Version 3.0) |
| Asbru | ASBRU_V3C | Cut Server Option (Version 3.0) |
| Asbru | ASBRU_V4C | Cut Server Option (Version 3.0) |
| Asbru | ASBRU_V545C | Cut Server Option (Version 3.0) |
| Asbru | COMPACT 30 PLUS | Cut Server Option (Version 3.0) |
| Asbru | COMPACT 30 | Cut Server Option (Version 3.0) |
| Asbru | COMPACT 54 PLUS | Cut Server Option (Version 3.0) |
| Asbru | COMPACT 54 | Cut Server Option (Version 3.0) |
| Asbru | COMPACT PRO | Cut Server Option (Version 3.0) |
| Asbru | COMPACT | Cut Server Option (Version 3.0) |
| Automation | G-Code File | Cut Server Option (Version 3.0) |
| AZONColor | CC12W | Cut Server Option (Version 3.0) |
| AZONColor | CC24W | Cut Server Option (Version 3.0) |
| AZONColor | CC48W | Cut Server Option (Version 3.0) |
| AZONColor | CC59-AML | Cut Server Option (Version 3.0) |
| AZONColor | CC64W | Cut Server Option (Version 3.0) |
| BannerCut | Bannercut 130cm LD | Cut Server Option (Version 3.0) |
| BannerCut | Bannercut 160cm LD | Cut Server Option (Version 3.0) |
| BannerCut | Bannercut 30cm LD | Cut Server Option (Version 3.0) |
| BannerCut | Bannercut 60cm LD | Cut Server Option (Version 3.0) |
| BannerCut | BannerCut-AML | Cut Server Option (Version 3.0) |
| BASCOCUT | BASCOCUT-AML | Cut Server Option (Version 3.0) |
| BASCOCUT | C-24L | Cut Server Option (Version 3.0) |
| BASCOCUT | C-48L | Cut Server Option (Version 3.0) |
| BASCOCUT | C-59L | Cut Server Option (Version 3.0) |
| BASCOCUT | E-24LX | Cut Server Option (Version 3.0) |
| BASCOCUT | E-48LX | Cut Server Option (Version 3.0) |
| BASCOCUT | E-49XXL | Cut Server Option (Version 3.0) |
| BASCOCUT | E-59LX | Cut Server Option (Version 3.0) |
| Better Cutter | A24 | Cut Server Option (Version 3.0) |
| Better Cutter | A30 | Cut Server Option (Version 3.0) |
| Better Cutter | A48 | Cut Server Option (Version 3.0) |
| Brain Power | CP-2000 | Cut Server Option (Version 3.0) |
| Brain Power | CP-3000 | Cut Server Option (Version 3.0) |
| BYF | AY-1101 | Cut Server Option (Version 3.0) |
| BYF | AY-12 | Cut Server Option (Version 3.0) |
| BYF | AY-1351 | Cut Server Option (Version 3.0) |
| BYF | AY-24 | Cut Server Option (Version 3.0) |
| BYF | AY-240 | Cut Server Option (Version 3.0) |
| BYF | AY-30 | Cut Server Option (Version 3.0) |
| BYF | AY-330 | Cut Server Option (Version 3.0) |
| BYF | AY-365 | Cut Server Option (Version 3.0) |
| BYF | AY-48 | Cut Server Option (Version 3.0) |
| BYF | AY-721 | Cut Server Option (Version 3.0) |
| BYF | AY-871 | Cut Server Option (Version 3.0) |
| BYF | CB-1300 | Cut Server Option (Version 3.0) |
| BYF | CB-730 | Cut Server Option (Version 3.0) |
| BYF | CS-1300 | Cut Server Option (Version 3.0) |
| BYF | CS-630 | Cut Server Option (Version 3.0) |

Fiery proServer and Fiery XF 8.0 supported cutters

| Cutter Brand | Cutter Model | Required Product Option |
|--------------|----------------|---------------------------------|
| BYF | CT-1200 | Cut Server Option (Version 3.0) |
| BYF | CT-630 | Cut Server Option (Version 3.0) |
| BYF | SC-1300 | Cut Server Option (Version 3.0) |
| BYF | SC-730 | Cut Server Option (Version 3.0) |
| BYF | T-12L | Cut Server Option (Version 3.0) |
| BYF | T-24L | Cut Server Option (Version 3.0) |
| BYF | T-42L | Cut Server Option (Version 3.0) |
| BYF | T-48L | Cut Server Option (Version 3.0) |
| BYF | T-59L | Cut Server Option (Version 3.0) |
| BYF | TH-1180L | Cut Server Option (Version 3.0) |
| BYF | TH-1300L | Cut Server Option (Version 3.0) |
| BYF | TH-1500L | Cut Server Option (Version 3.0) |
| BYF | TH-330L | Cut Server Option (Version 3.0) |
| BYF | TH-740L | Cut Server Option (Version 3.0) |
| CalComp | 1041GT CPGL | Cut Server Option (Version 3.0) |
| CalComp | 1042GT CPGL | Cut Server Option (Version 3.0) |
| CalComp | 1043GT CPGL | Cut Server Option (Version 3.0) |
| CalComp | 1044GT CPGL | Cut Server Option (Version 3.0) |
| CAMFive | CFC-A130 | Cut Server Option (Version 3.0) |
| CAMFive | CFC-A165 | Cut Server Option (Version 3.0) |
| CAMFive | CFC-A75 | Cut Server Option (Version 3.0) |
| CAMFive | CFC-AML | Cut Server Option (Version 3.0) |
| CAMFive | CFC-S24 | Cut Server Option (Version 3.0) |
| CAMFive | CFC-S48 | Cut Server Option (Version 3.0) |
| CAMFive | CFC-S61 | Cut Server Option (Version 3.0) |
| Colex | Colex SharpCut | Cut Marks Option |
| Compact Sign | HC-1201 | Cut Server Option (Version 3.0) |
| Compact Sign | HC-1202 | Cut Server Option (Version 3.0) |
| Compact Sign | HC-751 | Cut Server Option (Version 3.0) |
| Compact Sign | HC-901 | Cut Server Option (Version 3.0) |
| Compact Sign | HF-1201 | Cut Server Option (Version 3.0) |
| Compact Sign | HF-1202 | Cut Server Option (Version 3.0) |
| Compact Sign | HF-751 | Cut Server Option (Version 3.0) |
| Compact Sign | HF-901 | Cut Server Option (Version 3.0) |
| Concept | Concept2 | Cut Server Option (Version 3.0) |
| Copam | CP-2500 | Cut Server Option (Version 3.0) |
| Copam | CP-3050 | Cut Server Option (Version 3.0) |
| Copam | CP-3500 | Cut Server Option (Version 3.0) |
| Copam | CP-4050 | Cut Server Option (Version 3.0) |
| Copam | CP-4500 | Cut Server Option (Version 3.0) |
| Cotek | COTEK-1100C | Cut Server Option (Version 3.0) |
| Cotek | COTEK-1350C | Cut Server Option (Version 3.0) |
| Cotek | COTEK-1600C | Cut Server Option (Version 3.0) |
| Cotek | COTEK-360C | Cut Server Option (Version 3.0) |
| Cotek | COTEK-720C | Cut Server Option (Version 3.0) |
| Cotek | COTEK-870C | Cut Server Option (Version 3.0) |
| Cotek | CTK-1100A | Cut Server Option (Version 3.0) |
| Cotek | CTK-1100C | Cut Server Option (Version 3.0) |
| Cotek | CTK-1350A | Cut Server Option (Version 3.0) |
| Cotek | CTK-1350C | Cut Server Option (Version 3.0) |
| Cotek | CTK-1600A | Cut Server Option (Version 3.0) |

Fiery proServer and Fiery XF 8.0 supported cutters

| Cutter Brand | Cutter Model | Required Product Option |
|------------------|---------------|---------------------------------|
| Cotek | CTK-1600C | Cut Server Option (Version 3.0) |
| Cotek | CTK-360A | Cut Server Option (Version 3.0) |
| Cotek | CTK-360C | Cut Server Option (Version 3.0) |
| Cotek | CTK-720A | Cut Server Option (Version 3.0) |
| Cotek | CTK-720C | Cut Server Option (Version 3.0) |
| Cotek | CTK-870A | Cut Server Option (Version 3.0) |
| Cotek | CTK-870C | Cut Server Option (Version 3.0) |
| Cotek | CTK-AML | Cut Server Option (Version 3.0) |
| Cotek | CTK-AMU | Cut Server Option (Version 3.0) |
| Cotek | UYDA-1100C | Cut Server Option (Version 3.0) |
| Cotek | UYDA-1350C | Cut Server Option (Version 3.0) |
| Cotek | UYDA-1600C | Cut Server Option (Version 3.0) |
| Cotek | UYDA-360C | Cut Server Option (Version 3.0) |
| Cotek | UYDA-720C | Cut Server Option (Version 3.0) |
| Cotek | UYDA-870C | Cut Server Option (Version 3.0) |
| Cotek | YD-1100A | Cut Server Option (Version 3.0) |
| Cotek | YD-1100C | Cut Server Option (Version 3.0) |
| Cotek | YD-1350A | Cut Server Option (Version 3.0) |
| Cotek | YD-1350C | Cut Server Option (Version 3.0) |
| Cotek | YD-1600A | Cut Server Option (Version 3.0) |
| Cotek | YD-1600C | Cut Server Option (Version 3.0) |
| Cotek | YD-360A | Cut Server Option (Version 3.0) |
| Cotek | YD-360C | Cut Server Option (Version 3.0) |
| Cotek | YD-720A | Cut Server Option (Version 3.0) |
| Cotek | YD-720C | Cut Server Option (Version 3.0) |
| Cotek | YD-870A | Cut Server Option (Version 3.0) |
| Cotek | YD-870C | Cut Server Option (Version 3.0) |
| Creation-Kingcut | Kcut CT-24 | Cut Server Option (Version 3.0) |
| Creation-Kingcut | Kcut CT-30 | Cut Server Option (Version 3.0) |
| Creation-Kingcut | Kcut CT-36 | Cut Server Option (Version 3.0) |
| Creation-Kingcut | Kcut CT-48 | Cut Server Option (Version 3.0) |
| Creation-Kingcut | Kcut CT-60 | Cut Server Option (Version 3.0) |
| Creation-Kingcut | Kcut Pro B-12 | Cut Server Option (Version 3.0) |
| Creation-Kingcut | Kcut Pro B-24 | Cut Server Option (Version 3.0) |
| Creation-Kingcut | Kcut Pro B-48 | Cut Server Option (Version 3.0) |
| Creation-Kingcut | KingCut A-24 | Cut Server Option (Version 3.0) |
| Creation-Kingcut | KingCut A-30 | Cut Server Option (Version 3.0) |
| Creation-Kingcut | KingCut A-36 | Cut Server Option (Version 3.0) |
| Creation-Kingcut | KingCut A-48 | Cut Server Option (Version 3.0) |
| Creation-Kingcut | pcut CT-1200 | Cut Server Option (Version 3.0) |
| Creation-Kingcut | pcut CT-1500 | Cut Server Option (Version 3.0) |
| Creation-Kingcut | pcut CT-630 | Cut Server Option (Version 3.0) |
| Creation-Kingcut | pcut CT-760 | Cut Server Option (Version 3.0) |
| Creation-Kingcut | pcut CT-900 | Cut Server Option (Version 3.0) |
| Creation-PCut | CB-1300 | Cut Server Option (Version 3.0) |
| Creation-PCut | CB-730 | Cut Server Option (Version 3.0) |
| Creation-PCut | CR-1200 | Cut Server Option (Version 3.0) |
| Creation-PCut | CR-630 | Cut Server Option (Version 3.0) |
| Creation-PCut | CR-900 | Cut Server Option (Version 3.0) |
| Creation-PCut | CS-1200 | Cut Server Option (Version 3.0) |
| Creation-PCut | CS-1200G | Cut Server Option (Version 3.0) |

Fiery proServer and Fiery XF 8.0 supported cutters

| Cutter Brand | Cutter Model | Required Product Option |
|----------------|-----------------|---------------------------------|
| Creation-PCut | CS-630 | Cut Server Option (Version 3.0) |
| Creation-PCut | CS-630G | Cut Server Option (Version 3.0) |
| Creation-PCut | CS-900 | Cut Server Option (Version 3.0) |
| Creation-PCut | CT-1200 | Cut Server Option (Version 3.0) |
| Creation-PCut | CT-1200C | Cut Server Option (Version 3.0) |
| Creation-PCut | CT-1200G | Cut Server Option (Version 3.0) |
| Creation-PCut | CT-1200H | Cut Server Option (Version 3.0) |
| Creation-PCut | CT-630 | Cut Server Option (Version 3.0) |
| Creation-PCut | CT-630C | Cut Server Option (Version 3.0) |
| Creation-PCut | CT-630G | Cut Server Option (Version 3.0) |
| Creation-PCut | CT-630H | Cut Server Option (Version 3.0) |
| Creation-PCut | CT-900 | Cut Server Option (Version 3.0) |
| Creation-PCut | CT-900G | Cut Server Option (Version 3.0) |
| Creation-PCut | CTO-1200G | Cut Server Option (Version 3.0) |
| Creation-PCut | CTO-330 | Cut Server Option (Version 3.0) |
| Creation-PCut | CTO-330G | Cut Server Option (Version 3.0) |
| Creation-PCut | CTO-630G | Cut Server Option (Version 3.0) |
| Creation-PCut | CTO-900G | Cut Server Option (Version 3.0) |
| CUTTER | CUTTER-13 | Cut Server Option (Version 3.0) |
| CUTTER | CUTTER-24 | Cut Server Option (Version 3.0) |
| CUTTER | CUTTER-36 | Cut Server Option (Version 3.0) |
| CUTTER | CUTTER-48 | Cut Server Option (Version 3.0) |
| CUTTER | CUTTER-64 | Cut Server Option (Version 3.0) |
| CUTTER | CUTTER-AutoMark | Cut Server Option (Version 3.0) |
| CutterPro-Auto | CutterPro-AML | Cut Server Option (Version 3.0) |
| CutterPro-Auto | Teneth-AML | Cut Server Option (Version 3.0) |
| CutterPro-Auto | TS-AML | Cut Server Option (Version 3.0) |
| CutterPros | Contour 2400 | Cut Server Option (Version 3.0) |
| CutterPros | Contour 4800 | Cut Server Option (Version 3.0) |
| CutterPros | Contour 6400 | Cut Server Option (Version 3.0) |
| CutterPros | CR-1200 | Cut Server Option (Version 3.0) |
| CutterPros | CR-1200G | Cut Server Option (Version 3.0) |
| CutterPros | CR-1300 | Cut Server Option (Version 3.0) |
| CutterPros | CR-630 | Cut Server Option (Version 3.0) |
| CutterPros | CR-630G | Cut Server Option (Version 3.0) |
| CutterPros | CR-730 | Cut Server Option (Version 3.0) |
| CutterPros | SERVO 2400 | Cut Server Option (Version 3.0) |
| CutterPros | SERVO 4800 | Cut Server Option (Version 3.0) |
| CutterPros | SERVO 6400 | Cut Server Option (Version 3.0) |
| CuttingPro | 12L | Cut Server Option (Version 3.0) |
| CuttingPro | 24L | Cut Server Option (Version 3.0) |
| CuttingPro | 42L | Cut Server Option (Version 3.0) |
| CuttingPro | 48L | Cut Server Option (Version 3.0) |
| CuttingPro | 59L | Cut Server Option (Version 3.0) |
| CuttingPro | CutterPro-AML | Cut Server Option (Version 3.0) |
| CuttingPro | Servo-1500L | Cut Server Option (Version 3.0) |
| CuttingPro | Servo-59L | Cut Server Option (Version 3.0) |
| DASHENG | DS1300 | Cut Server Option (Version 3.0) |
| DASHENG | DS1660 | Cut Server Option (Version 3.0) |
| DASHENG | DS440 | Cut Server Option (Version 3.0) |
| DASHENG | DS740 | Cut Server Option (Version 3.0) |

Fiery proServer and Fiery XF 8.0 supported cutters

| Cutter Brand | Cutter Model | Required Product Option |
|--------------|------------------|---------------------------------|
| DASHENG | DS-AML | Cut Server Option (Version 3.0) |
| Desay | CF1000-24 | Cut Server Option (Version 3.0) |
| Desay | CF1000-40 | Cut Server Option (Version 3.0) |
| Desay | CF1000-50 | Cut Server Option (Version 3.0) |
| Desay | TC-3000 | Cut Server Option (Version 3.0) |
| Desay | TC-4000 | Cut Server Option (Version 3.0) |
| Desay | TC-5000 | Cut Server Option (Version 3.0) |
| Desay | Tiger 1000 | Cut Server Option (Version 3.0) |
| Desay | Tiger 2000 | Cut Server Option (Version 3.0) |
| Desay | Tiger 3000 | Cut Server Option (Version 3.0) |
| Desay | VC2000-24 | Cut Server Option (Version 3.0) |
| Desay | VC2000-40 | Cut Server Option (Version 3.0) |
| Desay | VC2000-50 | Cut Server Option (Version 3.0) |
| Desay | VL-300P | Cut Server Option (Version 3.0) |
| Desay | VL-400P | Cut Server Option (Version 3.0) |
| Desay | VL-500P | Cut Server Option (Version 3.0) |
| Desay | XY-300P | Cut Server Option (Version 3.0) |
| Desay | XY-380P | Cut Server Option (Version 3.0) |
| Desay | XY-450P | Cut Server Option (Version 3.0) |
| Desay | XY-520 | Cut Server Option (Version 3.0) |
| Desay | XY-540P | Cut Server Option (Version 3.0) |
| Desay | XY-660P | Cut Server Option (Version 3.0) |
| DGI | OM-100 | Cut Server Option (Version 3.0) |
| DGI | OM-130 | Cut Server Option (Version 3.0) |
| DGI | OM-150 | Cut Server Option (Version 3.0) |
| DGI | OM-40 | Cut Server Option (Version 3.0) |
| DGI | OM-60 | Cut Server Option (Version 3.0) |
| DGI | OM-70 | Cut Server Option (Version 3.0) |
| DGI | OM-80 | Cut Server Option (Version 3.0) |
| Duplo | DPC-2024 | Cut Server Option (Version 3.0) |
| Duplo | DPC-2054 | Cut Server Option (Version 3.0) |
| Duplo | DPC-2072 | Cut Server Option (Version 3.0) |
| DYSS | DYSS-Cutter-LINE | Cut Server Option (Version 3.0) |
| DYSS | X5 | Cut Marks Option |
| DYSS | X7 | Cut Marks Option |
| Eagle | Cutter | Cut Server Option (Version 3.0) |
| EastSign | EastSign ECP-35 | Cut Server Option (Version 3.0) |
| EastSign | EastSign ECP-400 | Cut Server Option (Version 3.0) |
| EastSign | EastSign ECP-48 | Cut Server Option (Version 3.0) |
| EastSign | EastSign ECP-600 | Cut Server Option (Version 3.0) |
| EastSign | EastSign ECP-63 | Cut Server Option (Version 3.0) |
| Emblem | EC120 | Cut Server Option (Version 3.0) |
| Emblem | EC60 | Cut Server Option (Version 3.0) |
| Encad | NovaCut 24 | Cut Server Option (Version 3.0) |
| Encad | NovaCut 54 | Cut Server Option (Version 3.0) |
| Enroute | Contour Cutter | Cut Server Option (Version 3.0) |
| ESAB | EIA G-Code File | Cut Server Option (Version 3.0) |
| ESAB | Router File | Cut Server Option (Version 3.0) |
| ESAB | Tool Knife File | Cut Server Option (Version 3.0) |
| ESAB | Tool Plasma File | Cut Server Option (Version 3.0) |
| ESAB | Tool Punch File | Cut Server Option (Version 3.0) |

Fiery proServer and Fiery XF 8.0 supported cutters

| Cutter Brand | Cutter Model | Required Product Option |
|--------------|------------------|---------------------------------|
| eurolaser | M-1200 | Cut Server Option (Version 3.0) |
| eurolaser | M-1600 | Cut Server Option (Version 3.0) |
| eurolaser | M-800 | Cut Server Option (Version 3.0) |
| eurolaser | XL-1200 | Cut Server Option (Version 3.0) |
| Eurosystems | Optiscout | Cut Marks Option |
| EVOLUS | EV120 | Cut Server Option (Version 3.0) |
| EVOLUS | EV30 | Cut Server Option (Version 3.0) |
| EVOLUS | EV60 | Cut Server Option (Version 3.0) |
| EVOLUS | EV76 | Cut Server Option (Version 3.0) |
| EVOLUS | EV90 | Cut Server Option (Version 3.0) |
| EVOLUS | EVS120 | Cut Server Option (Version 3.0) |
| EVOLUS | EVS120-USB | Cut Server Option (Version 3.0) |
| EVOLUS | EVS30 | Cut Server Option (Version 3.0) |
| EVOLUS | EVS30-USB | Cut Server Option (Version 3.0) |
| EVOLUS | EVS60 | Cut Server Option (Version 3.0) |
| EVOLUS | EVS60-USB | Cut Server Option (Version 3.0) |
| EVOLUS | EVS76 | Cut Server Option (Version 3.0) |
| EVOLUS | EVS76-USB | Cut Server Option (Version 3.0) |
| EVOLUS | EVS90 | Cut Server Option (Version 3.0) |
| EVOLUS | EVS90-USB | Cut Server Option (Version 3.0) |
| Fargo | Impressa | Cut Server Option (Version 3.0) |
| Foison | AutoMark | Cut Server Option (Version 3.0) |
| Foison | C12 | Cut Server Option (Version 3.0) |
| Foison | C24 PRO CAM-AML | Cut Server Option (Version 3.0) |
| Foison | C24 | Cut Server Option (Version 3.0) |
| Foison | C30 | Cut Server Option (Version 3.0) |
| Foison | C36 | Cut Server Option (Version 3.0) |
| Foison | C48 PRO CAM-AML | Cut Server Option (Version 3.0) |
| Foison | C48 | Cut Server Option (Version 3.0) |
| Foison | C59 PRO CAM-AML | Cut Server Option (Version 3.0) |
| Foison | C60 PRO AutoMark | Cut Server Option (Version 3.0) |
| Foison | C60 PRO | Cut Server Option (Version 3.0) |
| Foison | E24 L 2.0-AML | Cut Server Option (Version 3.0) |
| Foison | E48 L 2.0-AML | Cut Server Option (Version 3.0) |
| Foison | E59 L 2.0-AML | Cut Server Option (Version 3.0) |
| Foison | FLAT BED | Cut Server Option (Version 3.0) |
| Foison | KOALA AutoMark | Cut Server Option (Version 3.0) |
| Foison | KOALA | Cut Server Option (Version 3.0) |
| Foison | MultiMark-AML | Cut Server Option (Version 3.0) |
| Foison | S Pro-AML | Cut Server Option (Version 3.0) |
| Foison | S12 | Cut Server Option (Version 3.0) |
| Foison | S12-USB | Cut Server Option (Version 3.0) |
| Foison | S24 PRO CAM-AML | Cut Server Option (Version 3.0) |
| Foison | S24 Pro | Cut Server Option (Version 3.0) |
| Foison | S24 | Cut Server Option (Version 3.0) |
| Foison | S24-USB | Cut Server Option (Version 3.0) |
| Foison | S30 | Cut Server Option (Version 3.0) |
| Foison | S30-USB | Cut Server Option (Version 3.0) |
| Foison | S36 | Cut Server Option (Version 3.0) |
| Foison | S36-USB | Cut Server Option (Version 3.0) |
| Foison | S48 PRO CAM-AML | Cut Server Option (Version 3.0) |

Fiery proServer and Fiery XF 8.0 supported cutters

| Cutter Brand | Cutter Model | Required Product Option |
|--------------|-----------------|---------------------------------|
| Foison | S48 Pro | Cut Server Option (Version 3.0) |
| Foison | S48 | Cut Server Option (Version 3.0) |
| Foison | S48-USB | Cut Server Option (Version 3.0) |
| Foison | S59 PRO CAM-AML | Cut Server Option (Version 3.0) |
| Foison | S60 Pro | Cut Server Option (Version 3.0) |
| Foison | S60 | Cut Server Option (Version 3.0) |
| Foison | S60-USB | Cut Server Option (Version 3.0) |
| GCC | AR24 | Cut Server Option (Version 3.0) |
| GCC | Bengal BN-60 | Cut Server Option (Version 3.0) |
| GCC | Bobcat BI-30 | Cut Server Option (Version 3.0) |
| GCC | Bobcat BI-60 | Cut Server Option (Version 3.0) |
| GCC | EnduraCut | Cut Server Option (Version 3.0) |
| GCC | Expert II-24 LX | Cut Server Option (Version 3.0) |
| GCC | Expert II-24 | Cut Server Option (Version 3.0) |
| GCC | Expert II-52 LX | Cut Server Option (Version 3.0) |
| GCC | Expert II-52 | Cut Server Option (Version 3.0) |
| GCC | Expert Pro-132 | Cut Server Option (Version 3.0) |
| GCC | Expert Pro-60 | Cut Server Option (Version 3.0) |
| GCC | Expert-24 LX | Cut Server Option (Version 3.0) |
| GCC | Expert-24 | Cut Server Option (Version 3.0) |
| GCC | Expert-52 LX | Cut Server Option (Version 3.0) |
| GCC | Expert-52 | Cut Server Option (Version 3.0) |
| GCC | GCC JF-240UV | Cut Server Option (Version 3.0) |
| GCC | GCC JF-240UVII | Cut Server Option (Version 3.0) |
| GCC | GCC JF-2418UV | Cut Server Option (Version 3.0) |
| GCC | GRC-02 | Cut Server Option (Version 3.0) |
| GCC | GRC-03 | Cut Server Option (Version 3.0) |
| GCC | GRC-22 | Cut Server Option (Version 3.0) |
| GCC | GRC-23 | Cut Server Option (Version 3.0) |
| GCC | i-Craft | Cut Server Option (Version 3.0) |
| GCC | Jaguar III-101 | Cut Server Option (Version 3.0) |
| GCC | Jaguar III-132 | Cut Server Option (Version 3.0) |
| GCC | Jaguar III-183 | Cut Server Option (Version 3.0) |
| GCC | Jaguar III-61 | Cut Server Option (Version 3.0) |
| GCC | Jaguar III-76 | Cut Server Option (Version 3.0) |
| GCC | Jaguar IV-101 | Cut Server Option (Version 3.0) |
| GCC | Jaguar IV-132 | Cut Server Option (Version 3.0) |
| GCC | Jaguar IV-183 | Cut Server Option (Version 3.0) |
| GCC | Jaguar IV-61 | Cut Server Option (Version 3.0) |
| GCC | Jaguar IV-76 | Cut Server Option (Version 3.0) |
| GCC | Jaguar JII-101S | Cut Server Option (Version 3.0) |
| GCC | Jaguar JII-132S | Cut Server Option (Version 3.0) |
| GCC | Jaguar JII-61 | Cut Server Option (Version 3.0) |
| GCC | Jaguar JII-76S | Cut Server Option (Version 3.0) |
| GCC | Jaguar JR-101S | Cut Server Option (Version 3.0) |
| GCC | Jaguar JR-132S | Cut Server Option (Version 3.0) |
| GCC | Jaguar JR-61 | Cut Server Option (Version 3.0) |
| GCC | Jaguar JR-76S | Cut Server Option (Version 3.0) |
| GCC | Jaguar V-101 LX | Cut Server Option (Version 3.0) |
| GCC | Jaguar V-101 | Cut Server Option (Version 3.0) |
| GCC | Jaguar V-132 LX | Cut Server Option (Version 3.0) |

Fiery proServer and Fiery XF 8.0 supported cutters

| Cutter Brand | Cutter Model | Required Product Option |
|--------------|---------------------|---------------------------------|
| GCC | Jaguar V-132 | Cut Server Option (Version 3.0) |
| GCC | Jaguar V-160 LX | Cut Server Option (Version 3.0) |
| GCC | Jaguar V-160 | Cut Server Option (Version 3.0) |
| GCC | Jaguar V-183 LX | Cut Server Option (Version 3.0) |
| GCC | Jaguar V-183 | Cut Server Option (Version 3.0) |
| GCC | Jaguar V-61 LX | Cut Server Option (Version 3.0) |
| GCC | Jaguar V-61 | Cut Server Option (Version 3.0) |
| GCC | Lynx III | Cut Server Option (Version 3.0) |
| GCC | Lynx S-132S | Cut Server Option (Version 3.0) |
| GCC | Lynx S-30 | Cut Server Option (Version 3.0) |
| GCC | Lynx S-60 | Cut Server Option (Version 3.0) |
| GCC | Panther IV | Cut Server Option (Version 3.0) |
| GCC | Puma II-132S | Cut Server Option (Version 3.0) |
| GCC | Puma II-30 | Cut Server Option (Version 3.0) |
| GCC | Puma II-60 | Cut Server Option (Version 3.0) |
| GCC | Puma III-132S | Cut Server Option (Version 3.0) |
| GCC | Puma III-60 | Cut Server Option (Version 3.0) |
| GCC | Puma IV-132 LX | Cut Server Option (Version 3.0) |
| GCC | Puma IV-132 | Cut Server Option (Version 3.0) |
| GCC | Puma IV-60 LX | Cut Server Option (Version 3.0) |
| GCC | Puma IV-60 | Cut Server Option (Version 3.0) |
| GCC | Puma-132S | Cut Server Option (Version 3.0) |
| GCC | Puma-30 | Cut Server Option (Version 3.0) |
| GCC | Puma-60 | Cut Server Option (Version 3.0) |
| GCC | RX II-101 | Cut Server Option (Version 3.0) |
| GCC | RX II-132 | Cut Server Option (Version 3.0) |
| GCC | RX II-183 | Cut Server Option (Version 3.0) |
| GCC | RX II-61 | Cut Server Option (Version 3.0) |
| GCC | RX II-61-CR | Cut Server Option (Version 3.0) |
| GCC | RX-101 | Cut Server Option (Version 3.0) |
| GCC | RX-132 | Cut Server Option (Version 3.0) |
| GCC | RX-183 | Cut Server Option (Version 3.0) |
| GCC | RX-61 | Cut Server Option (Version 3.0) |
| GCC | Sable SB-60 | Cut Server Option (Version 3.0) |
| GCC | Ultra GRC-101S | Cut Server Option (Version 3.0) |
| GCC | Ultra GRC-132S | Cut Server Option (Version 3.0) |
| GCC | Ultra GRC-30 | Cut Server Option (Version 3.0) |
| GCC | Ultra GRC-50 | Cut Server Option (Version 3.0) |
| GCC | Ultra GRC-60 | Cut Server Option (Version 3.0) |
| GCC | Ultra GRC-61 | Cut Server Option (Version 3.0) |
| GCC | Ultra GRC-76S | Cut Server Option (Version 3.0) |
| GCC | UltraPlus GRC-50 | Cut Server Option (Version 3.0) |
| Gerber | Compu Cut System 48 | Cut Server Option (Version 3.0) |
| Gerber | Emboss Track24 | Cut Server Option (Version 3.0) |
| Gerber | Emboss Track36 | Cut Server Option (Version 3.0) |
| Gerber | Emboss Track48 | Cut Server Option (Version 3.0) |
| Gerber | Envision 375 | Cut Server Option (Version 3.0) |
| Gerber | Envision 375-HPGL | Cut Server Option (Version 3.0) |
| Gerber | Envision 750 | Cut Server Option (Version 3.0) |
| Gerber | Envision 750-HPGL | Cut Server Option (Version 3.0) |
| Gerber | Esprit 1400 | Cut Server Option (Version 3.0) |

Fiery proServer and Fiery XF 8.0 supported cutters

| Cutter Brand | Cutter Model | Required Product Option |
|-----------------|-----------------------------|---------------------------------|
| Gerber | Esprit 850 | Cut Server Option (Version 3.0) |
| Gerber | FasTrack 1000 | Cut Server Option (Version 3.0) |
| Gerber | FasTrack 1300 | Cut Server Option (Version 3.0) |
| Gerber | FasTrack 550 | Cut Server Option (Version 3.0) |
| Gerber | FasTrack 650 | Cut Server Option (Version 3.0) |
| Gerber | FasTrack 750 | Cut Server Option (Version 3.0) |
| Gerber | GCI Interface | Cut Server Option (Version 3.0) |
| Gerber | GCI Router Interface | Cut Server Option (Version 3.0) |
| Gerber | GS 15 Plus HP/GL | Cut Server Option (Version 3.0) |
| Gerber | GS 15 Plus | Cut Server Option (Version 3.0) |
| Gerber | GS 15 | Cut Server Option (Version 3.0) |
| Gerber | GS 750 Plus HP/GL | Cut Server Option (Version 3.0) |
| Gerber | GS 750 Plus | Cut Server Option (Version 3.0) |
| Gerber | GS 750 | Cut Server Option (Version 3.0) |
| Gerber | GSX 15 Plus HP/GL | Cut Server Option (Version 3.0) |
| Gerber | GSX 15 Plus | Cut Server Option (Version 3.0) |
| Gerber | GSX 15 | Cut Server Option (Version 3.0) |
| Gerber | HS 15 Plus HP/GL | Cut Server Option (Version 3.0) |
| Gerber | HS 15 Plus | Cut Server Option (Version 3.0) |
| Gerber | HS 15 | Cut Server Option (Version 3.0) |
| Gerber | HS 750 Plus HP/GL | Cut Server Option (Version 3.0) |
| Gerber | HS 750 Plus | Cut Server Option (Version 3.0) |
| Gerber | HS 750 | Cut Server Option (Version 3.0) |
| Gerber | LMK Interface | Cut Server Option (Version 3.0) |
| Gerber | MCT Cutter | Cut Marks Option |
| Gerber | Odyssey XP | Cut Server Option (Version 3.0) |
| Gerber | Odyssey | Cut Server Option (Version 3.0) |
| Gerber | Omnicaud Compucut Interface | Cut Server Option (Version 3.0) |
| Gerber | P2C 1200 | Cut Server Option (Version 3.0) |
| Gerber | P2C 1600 | Cut Server Option (Version 3.0) |
| Gerber | P2C 600 | Cut Server Option (Version 3.0) |
| Gerber | S750 Interface | Cut Server Option (Version 3.0) |
| Gerber | Superlink Interface | Cut Server Option (Version 3.0) |
| Gerber | Tempo-600 | Cut Server Option (Version 3.0) |
| Gerber | Thermazone HPGL | Cut Server Option (Version 3.0) |
| Gerber | Unilink Interface | Cut Server Option (Version 3.0) |
| GerCutter | CSV1350 | Cut Server Option (Version 3.0) |
| GerCutter | CSV720 | Cut Server Option (Version 3.0) |
| GerCutter | ECO Series | Cut Server Option (Version 3.0) |
| GerCutter | MH-1351 | Cut Server Option (Version 3.0) |
| GerCutter | MH-365 | Cut Server Option (Version 3.0) |
| GerCutter | MH-721 | Cut Server Option (Version 3.0) |
| GerCutter | MH-871 | Cut Server Option (Version 3.0) |
| GerCutter | PRO Series | Cut Server Option (Version 3.0) |
| GerCutter-Laser | BLUETOOTH CB1300 | Cut Server Option (Version 3.0) |
| GerCutter-Laser | BLUETOOTH CB730 | Cut Server Option (Version 3.0) |
| GerCutter-Laser | CR-1080 | Cut Server Option (Version 3.0) |
| GerCutter-Laser | CR-1080F | Cut Server Option (Version 3.0) |
| GerCutter-Laser | CR-1200 | Cut Server Option (Version 3.0) |
| GerCutter-Laser | CR-1200F | Cut Server Option (Version 3.0) |
| GerCutter-Laser | CR-630 | Cut Server Option (Version 3.0) |

Fiery proServer and Fiery XF 8.0 supported cutters

| Cutter Brand | Cutter Model | Required Product Option |
|-----------------|-----------------------|---------------------------------|
| GerCutter-Laser | CR-630F | Cut Server Option (Version 3.0) |
| GerCutter-Laser | CR-900 | Cut Server Option (Version 3.0) |
| GerCutter-Laser | CR-900F | Cut Server Option (Version 3.0) |
| GerCutter-Laser | CS-1080 | Cut Server Option (Version 3.0) |
| GerCutter-Laser | CS-1080F | Cut Server Option (Version 3.0) |
| GerCutter-Laser | CS-1200 | Cut Server Option (Version 3.0) |
| GerCutter-Laser | CS-1200F | Cut Server Option (Version 3.0) |
| GerCutter-Laser | CS-1200G | Cut Server Option (Version 3.0) |
| GerCutter-Laser | CS-630 | Cut Server Option (Version 3.0) |
| GerCutter-Laser | CS-630F | Cut Server Option (Version 3.0) |
| GerCutter-Laser | CS-630G | Cut Server Option (Version 3.0) |
| GerCutter-Laser | CS-900 | Cut Server Option (Version 3.0) |
| GerCutter-Laser | CS-900F | Cut Server Option (Version 3.0) |
| GerCutter-Laser | CT-1080 | Cut Server Option (Version 3.0) |
| GerCutter-Laser | CT-1080G | Cut Server Option (Version 3.0) |
| GerCutter-Laser | CT-1200 | Cut Server Option (Version 3.0) |
| GerCutter-Laser | CT-1200G | Cut Server Option (Version 3.0) |
| GerCutter-Laser | CT-630 | Cut Server Option (Version 3.0) |
| GerCutter-Laser | CT-630G | Cut Server Option (Version 3.0) |
| GerCutter-Laser | CT-900 | Cut Server Option (Version 3.0) |
| GerCutter-Laser | CT-900G | Cut Server Option (Version 3.0) |
| GerCutter-Laser | DC240 | Cut Server Option (Version 3.0) |
| GerCutter-Laser | Gercontour-1350 | Cut Server Option (Version 3.0) |
| GerCutter-Laser | Gercontour-1350S | Cut Server Option (Version 3.0) |
| GerCutter-Laser | Gercontour-720 | Cut Server Option (Version 3.0) |
| GerCutter-Laser | Gercontour-720S | Cut Server Option (Version 3.0) |
| GerCutter-Laser | Gercutter Pro laser | Cut Server Option (Version 3.0) |
| GerCutter-Laser | MC-270 | Cut Server Option (Version 3.0) |
| GerCutter-Laser | SP Series | Cut Server Option (Version 3.0) |
| GerPrint | CSV1350 | Cut Server Option (Version 3.0) |
| GerPrint | CSV720 | Cut Server Option (Version 3.0) |
| GMY | Flatcut-C | Cut Server Option (Version 3.0) |
| GO | GO MaxCut ARS | Cut Server Option (Version 3.0) |
| GoldCut | GC-12 | Cut Server Option (Version 3.0) |
| GoldCut | GC-24 | Cut Server Option (Version 3.0) |
| GoldCut | GC-30 | Cut Server Option (Version 3.0) |
| GoldCut | GC-48 | Cut Server Option (Version 3.0) |
| GoldCut | JK-1101 | Cut Server Option (Version 3.0) |
| GoldCut | JK-1351 | Cut Server Option (Version 3.0) |
| GoldCut | JK-240 | Cut Server Option (Version 3.0) |
| GoldCut | JK-330 | Cut Server Option (Version 3.0) |
| GoldCut | JK-365 | Cut Server Option (Version 3.0) |
| GoldCut | JK-721 | Cut Server Option (Version 3.0) |
| GoldCut | JK-871 | Cut Server Option (Version 3.0) |
| Grafityp | CSR 2400 | Cut Server Option (Version 3.0) |
| Grafityp | CSR 466 Standard HPGL | Cut Server Option (Version 3.0) |
| Grafityp | CSR 466 Standard | Cut Server Option (Version 3.0) |
| Grafityp | CSR 466 Turbo | Cut Server Option (Version 3.0) |
| Grafityp | CSR 700 Standard HPGL | Cut Server Option (Version 3.0) |
| Grafityp | CSR 700 Standard | Cut Server Option (Version 3.0) |
| Grafityp | CSR 700 Turbo | Cut Server Option (Version 3.0) |

Fiery proServer and Fiery XF 8.0 supported cutters

| Cutter Brand | Cutter Model | Required Product Option |
|--------------|--------------------|---------------------------------|
| Grafityp | CSR Ecom 700 HPGL | Cut Server Option (Version 3.0) |
| Graphtec | CE LITE-50 | Cut Server Option (Version 3.0) |
| Graphtec | CE1000-60 | Cut Server Option (Version 3.0) |
| Graphtec | CE2000-120 | Cut Server Option (Version 3.0) |
| Graphtec | CE2000-60 | Cut Server Option (Version 3.0) |
| Graphtec | CE2800-60 | Cut Server Option (Version 3.0) |
| Graphtec | CE3000-120 | Cut Server Option (Version 3.0) |
| Graphtec | CE3000-40 | Cut Server Option (Version 3.0) |
| Graphtec | CE3000-60 | Cut Server Option (Version 3.0) |
| Graphtec | CE3000MkII-120 | Cut Server Option (Version 3.0) |
| Graphtec | CE3000MkII-60 | Cut Server Option (Version 3.0) |
| Graphtec | CE5000-120 | Cut Server Option (Version 3.0) |
| Graphtec | CE5000-40-CRP | Cut Server Option (Version 3.0) |
| Graphtec | CE5000-60 | Cut Server Option (Version 3.0) |
| Graphtec | CE6000-120 | Cut Server Option (Version 3.0) |
| Graphtec | CE6000-120Plus | Cut Server Option (Version 3.0) |
| Graphtec | CE6000-40 | Cut Server Option (Version 3.0) |
| Graphtec | CE6000-40Plus | Cut Server Option (Version 3.0) |
| Graphtec | CE6000-60 | Cut Server Option (Version 3.0) |
| Graphtec | CE6000-60Plus | Cut Server Option (Version 3.0) |
| Graphtec | CE7000-130 | Cut Server Option (Version 3.0) |
| Graphtec | CE7000-160 | Cut Server Option (Version 3.0) |
| Graphtec | CE7000-40 | Cut Server Option (Version 3.0) |
| Graphtec | CE7000-60 | Cut Server Option (Version 3.0) |
| Graphtec | CraftROBO cc100-20 | Cut Server Option (Version 3.0) |
| Graphtec | CraftROBO cc200-20 | Cut Server Option (Version 3.0) |
| Graphtec | DLC1000 | Cut Server Option (Version 3.0) |
| Graphtec | FC2100-120 | Cut Server Option (Version 3.0) |
| Graphtec | FC2100-50 | Cut Server Option (Version 3.0) |
| Graphtec | FC2100-60 | Cut Server Option (Version 3.0) |
| Graphtec | FC2100-90 | Cut Server Option (Version 3.0) |
| Graphtec | FC2200-50 | Cut Server Option (Version 3.0) |
| Graphtec | FC2200-90 | Cut Server Option (Version 3.0) |
| Graphtec | FC2200-90EX | Cut Server Option (Version 3.0) |
| Graphtec | FC223X-60 | Cut Server Option (Version 3.0) |
| Graphtec | FC223X-90 | Cut Server Option (Version 3.0) |
| Graphtec | FC223X-90EX | Cut Server Option (Version 3.0) |
| Graphtec | FC2250-120 | Cut Server Option (Version 3.0) |
| Graphtec | FC2250-180 | Cut Server Option (Version 3.0) |
| Graphtec | FC2250-60 | Cut Server Option (Version 3.0) |
| Graphtec | FC2300-50 | Cut Server Option (Version 3.0) |
| Graphtec | FC3100-100 | Cut Server Option (Version 3.0) |
| Graphtec | FC3100-120 | Cut Server Option (Version 3.0) |
| Graphtec | FC3100-60 | Cut Server Option (Version 3.0) |
| Graphtec | FC3200-50 | Cut Server Option (Version 3.0) |
| Graphtec | FC3200-90 | Cut Server Option (Version 3.0) |
| Graphtec | FC3200-90EX | Cut Server Option (Version 3.0) |
| Graphtec | FC3209-60 | Cut Server Option (Version 3.0) |
| Graphtec | FC3212-180 | Cut Server Option (Version 3.0) |
| Graphtec | FC3212-240 | Cut Server Option (Version 3.0) |
| Graphtec | FC3212-90 | Cut Server Option (Version 3.0) |

Fiery proServer and Fiery XF 8.0 supported cutters

| Cutter Brand | Cutter Model | Required Product Option |
|---------------|---------------------|---------------------------------|
| Graphtec | FC3600 | Cut Server Option (Version 3.0) |
| Graphtec | FC4100-100 | Cut Server Option (Version 3.0) |
| Graphtec | FC4100-130 | Cut Server Option (Version 3.0) |
| Graphtec | FC4100-75 | Cut Server Option (Version 3.0) |
| Graphtec | FC4200-50 | Cut Server Option (Version 3.0) |
| Graphtec | FC4200-60 | Cut Server Option (Version 3.0) |
| Graphtec | FC4210-60 | Cut Server Option (Version 3.0) |
| Graphtec | FC4500-50/FC4550-50 | Cut Server Option (Version 3.0) |
| Graphtec | FC4500-60 | Cut Server Option (Version 3.0) |
| Graphtec | FC4510-60 | Cut Server Option (Version 3.0) |
| Graphtec | FC5100-100 | Cut Server Option (Version 3.0) |
| Graphtec | FC5100-130 | Cut Server Option (Version 3.0) |
| Graphtec | FC5100-150 | Cut Server Option (Version 3.0) |
| Graphtec | FC5100-75 | Cut Server Option (Version 3.0) |
| Graphtec | FC7000-100 | Cut Server Option (Version 3.0) |
| Graphtec | FC7000-130 | Cut Server Option (Version 3.0) |
| Graphtec | FC7000-160 | Cut Server Option (Version 3.0) |
| Graphtec | FC7000-60 | Cut Server Option (Version 3.0) |
| Graphtec | FC7000-75 | Cut Server Option (Version 3.0) |
| Graphtec | FC7000MK2-100 | Cut Server Option (Version 3.0) |
| Graphtec | FC7000MK2-130 | Cut Server Option (Version 3.0) |
| Graphtec | FC7000MK2-160 | Cut Server Option (Version 3.0) |
| Graphtec | FC7000MK2-60 | Cut Server Option (Version 3.0) |
| Graphtec | FC7000MK2-75 | Cut Server Option (Version 3.0) |
| Graphtec | FC8000-100 | Cut Server Option (Version 3.0) |
| Graphtec | FC8000-130 | Cut Server Option (Version 3.0) |
| Graphtec | FC8000-160 | Cut Server Option (Version 3.0) |
| Graphtec | FC8000-60 | Cut Server Option (Version 3.0) |
| Graphtec | FC8000-75 | Cut Server Option (Version 3.0) |
| Graphtec | FC8600-100 | Cut Server Option (Version 3.0) |
| Graphtec | FC8600-130 | Cut Server Option (Version 3.0) |
| Graphtec | FC8600-160 | Cut Server Option (Version 3.0) |
| Graphtec | FC8600-60 | Cut Server Option (Version 3.0) |
| Graphtec | FC8600-75 | Cut Server Option (Version 3.0) |
| Graphtec | FC9000-100 | Cut Server Option (Version 3.0) |
| Graphtec | FC9000-140 | Cut Server Option (Version 3.0) |
| Graphtec | FC9000-160 | Cut Server Option (Version 3.0) |
| Graphtec | FC9000-75 | Cut Server Option (Version 3.0) |
| Graphtec | FCX2000-120 | Cut Server Option (Version 3.0) |
| Graphtec | FCX2000-180 | Cut Server Option (Version 3.0) |
| Graphtec | FCX2000-60 | Cut Server Option (Version 3.0) |
| Graphtec | FCX4000-50 | Cut Server Option (Version 3.0) |
| Graphtec | FCX4000-60 | Cut Server Option (Version 3.0) |
| Graphtec | JX1060 | Cut Server Option (Version 3.0) |
| Graphtec | JX1130 | Cut Server Option (Version 3.0) |
| Graphtec | JX2100 | Cut Server Option (Version 3.0) |
| Graphtec | JX2150 | Cut Server Option (Version 3.0) |
| Graphtec GPGL | CE LITE-50 | Cut Server Option (Version 3.0) |
| Graphtec GPGL | CE3000-120 | Cut Server Option (Version 3.0) |
| Graphtec GPGL | CE3000-40 | Cut Server Option (Version 3.0) |
| Graphtec GPGL | CE3000-40-CRP | Cut Server Option (Version 3.0) |

Fiery proServer and Fiery XF 8.0 supported cutters

| Cutter Brand | Cutter Model | Required Product Option |
|---------------|---------------------|---------------------------------|
| Graphtec GPGL | CE3000-60 | Cut Server Option (Version 3.0) |
| Graphtec GPGL | CE3000Mk2-120 | Cut Server Option (Version 3.0) |
| Graphtec GPGL | CE3000Mk2-60 | Cut Server Option (Version 3.0) |
| Graphtec GPGL | CE5000-120 | Cut Server Option (Version 3.0) |
| Graphtec GPGL | CE5000-40-CRP | Cut Server Option (Version 3.0) |
| Graphtec GPGL | CE5000-60 | Cut Server Option (Version 3.0) |
| Graphtec GPGL | CE6000-120 | Cut Server Option (Version 3.0) |
| Graphtec GPGL | CE6000-120Plus | Cut Server Option (Version 3.0) |
| Graphtec GPGL | CE6000-40 | Cut Server Option (Version 3.0) |
| Graphtec GPGL | CE6000-40Plus | Cut Server Option (Version 3.0) |
| Graphtec GPGL | CE6000-60 | Cut Server Option (Version 3.0) |
| Graphtec GPGL | CE6000-60Plus | Cut Server Option (Version 3.0) |
| Graphtec GPGL | CE7000-130 | Cut Server Option (Version 3.0) |
| Graphtec GPGL | CE7000-160 | Cut Server Option (Version 3.0) |
| Graphtec GPGL | CE7000-40 | Cut Server Option (Version 3.0) |
| Graphtec GPGL | CE7000-60 | Cut Server Option (Version 3.0) |
| Graphtec GPGL | CraftROBO cc100-20 | Cut Server Option (Version 3.0) |
| Graphtec GPGL | CraftROBO cc200-20 | Cut Server Option (Version 3.0) |
| Graphtec GPGL | CraftROBO cc300-20 | Cut Server Option (Version 3.0) |
| Graphtec GPGL | CraftROBO cc300L-20 | Cut Server Option (Version 3.0) |
| Graphtec GPGL | CraftROBO cc330-20 | Cut Server Option (Version 3.0) |
| Graphtec GPGL | CraftROBO cc330L-20 | Cut Server Option (Version 3.0) |
| Graphtec GPGL | FC223X-60 | Cut Server Option (Version 3.0) |
| Graphtec GPGL | FC223X-90 | Cut Server Option (Version 3.0) |
| Graphtec GPGL | FC2240-120 | Cut Server Option (Version 3.0) |
| Graphtec GPGL | FC2240-180 | Cut Server Option (Version 3.0) |
| Graphtec GPGL | FC2240-60 | Cut Server Option (Version 3.0) |
| Graphtec GPGL | FC2250-120 | Cut Server Option (Version 3.0) |
| Graphtec GPGL | FC2250-180 | Cut Server Option (Version 3.0) |
| Graphtec GPGL | FC2250-60 | Cut Server Option (Version 3.0) |
| Graphtec GPGL | FC3600 | Cut Server Option (Version 3.0) |
| Graphtec GPGL | FC4200-50 | Cut Server Option (Version 3.0) |
| Graphtec GPGL | FC4200-60 | Cut Server Option (Version 3.0) |
| Graphtec GPGL | FC4500-50/FC4550-50 | Cut Server Option (Version 3.0) |
| Graphtec GPGL | FC4500-60 | Cut Server Option (Version 3.0) |
| Graphtec GPGL | FC4510-60 | Cut Server Option (Version 3.0) |
| Graphtec GPGL | FC5100-100 | Cut Server Option (Version 3.0) |
| Graphtec GPGL | FC5100-130 | Cut Server Option (Version 3.0) |
| Graphtec GPGL | FC5100-150 | Cut Server Option (Version 3.0) |
| Graphtec GPGL | FC5100-75 | Cut Server Option (Version 3.0) |
| Graphtec GPGL | FC5100A-100 | Cut Server Option (Version 3.0) |
| Graphtec GPGL | FC5100A-130 | Cut Server Option (Version 3.0) |
| Graphtec GPGL | FC5100A-150 | Cut Server Option (Version 3.0) |
| Graphtec GPGL | FC5100A-75 | Cut Server Option (Version 3.0) |
| Graphtec GPGL | FC7000-100 | Cut Server Option (Version 3.0) |
| Graphtec GPGL | FC7000-130 | Cut Server Option (Version 3.0) |
| Graphtec GPGL | FC7000-160 | Cut Server Option (Version 3.0) |
| Graphtec GPGL | FC7000-60 | Cut Server Option (Version 3.0) |
| Graphtec GPGL | FC7000-75 | Cut Server Option (Version 3.0) |
| Graphtec GPGL | FC7000MK2-100 | Cut Server Option (Version 3.0) |
| Graphtec GPGL | FC7000MK2-130 | Cut Server Option (Version 3.0) |

Fiery proServer and Fiery XF 8.0 supported cutters

| Cutter Brand | Cutter Model | Required Product Option |
|--------------|---------------|---------------------------------|
| Graphtec GPG | FC7000MK2-160 | Cut Server Option (Version 3.0) |
| Graphtec GPG | FC7000MK2-60 | Cut Server Option (Version 3.0) |
| Graphtec GPG | FC7000MK2-75 | Cut Server Option (Version 3.0) |
| Graphtec GPG | FC8000-100 | Cut Server Option (Version 3.0) |
| Graphtec GPG | FC8000-130 | Cut Server Option (Version 3.0) |
| Graphtec GPG | FC8000-160 | Cut Server Option (Version 3.0) |
| Graphtec GPG | FC8000-60 | Cut Server Option (Version 3.0) |
| Graphtec GPG | FC8000-75 | Cut Server Option (Version 3.0) |
| Graphtec GPG | FC8600-100 | Cut Server Option (Version 3.0) |
| Graphtec GPG | FC8600-130 | Cut Server Option (Version 3.0) |
| Graphtec GPG | FC8600-160 | Cut Server Option (Version 3.0) |
| Graphtec GPG | FC8600-60 | Cut Server Option (Version 3.0) |
| Graphtec GPG | FC8600-75 | Cut Server Option (Version 3.0) |
| Graphtec GPG | FC9000-100 | Cut Server Option (Version 3.0) |
| Graphtec GPG | FC9000-140 | Cut Server Option (Version 3.0) |
| Graphtec GPG | FC9000-160 | Cut Server Option (Version 3.0) |
| Graphtec GPG | FC9000-75 | Cut Server Option (Version 3.0) |
| Graphtec GPG | FCX2000-120 | Cut Server Option (Version 3.0) |
| Graphtec GPG | FCX2000-180 | Cut Server Option (Version 3.0) |
| Graphtec GPG | FCX2000-60 | Cut Server Option (Version 3.0) |
| Graphtec GPG | FCX4000-50 | Cut Server Option (Version 3.0) |
| Graphtec GPG | FCX4000-60 | Cut Server Option (Version 3.0) |
| GRI | Pro Vinyl 15 | Cut Server Option (Version 3.0) |
| GRI | Pro Vinyl 24 | Cut Server Option (Version 3.0) |
| HBC | ACC-360-AML | Cut Server Option (Version 3.0) |
| HBC | H-1351 | Cut Server Option (Version 3.0) |
| HBC | H-1351SA | Cut Server Option (Version 3.0) |
| HBC | H-361 | Cut Server Option (Version 3.0) |
| HBC | H-361SA | Cut Server Option (Version 3.0) |
| HBC | H-721 | Cut Server Option (Version 3.0) |
| HBC | H-721SA | Cut Server Option (Version 3.0) |
| HBC | HBC-1350-AML | Cut Server Option (Version 3.0) |
| HBC | HBC-720-AML | Cut Server Option (Version 3.0) |
| HBC | HBCS-1350-AML | Cut Server Option (Version 3.0) |
| HBC | HBCS-720-AML | Cut Server Option (Version 3.0) |
| Helitin | 1100A | Cut Server Option (Version 3.0) |
| Helitin | 1100AC | Cut Server Option (Version 3.0) |
| Helitin | 1100ACI | Cut Server Option (Version 3.0) |
| Helitin | 1100B | Cut Server Option (Version 3.0) |
| Helitin | 1100BC | Cut Server Option (Version 3.0) |
| Helitin | 1100BC+ | Cut Server Option (Version 3.0) |
| Helitin | 1100BCI | Cut Server Option (Version 3.0) |
| Helitin | 1350A | Cut Server Option (Version 3.0) |
| Helitin | 1350AC | Cut Server Option (Version 3.0) |
| Helitin | 1350ACI | Cut Server Option (Version 3.0) |
| Helitin | 1350B | Cut Server Option (Version 3.0) |
| Helitin | 1350BC | Cut Server Option (Version 3.0) |
| Helitin | 1350BC+ | Cut Server Option (Version 3.0) |
| Helitin | 1350BCI | Cut Server Option (Version 3.0) |
| Helitin | 1800A | Cut Server Option (Version 3.0) |
| Helitin | 1800AC | Cut Server Option (Version 3.0) |

Fiery proServer and Fiery XF 8.0 supported cutters

| Cutter Brand | Cutter Model | Required Product Option |
|---------------------|----------------|---------------------------------|
| Helitin | 1800ACI | Cut Server Option (Version 3.0) |
| Helitin | 1800B | Cut Server Option (Version 3.0) |
| Helitin | 1800BC | Cut Server Option (Version 3.0) |
| Helitin | 1800BC+ | Cut Server Option (Version 3.0) |
| Helitin | 1800BCI | Cut Server Option (Version 3.0) |
| Helitin | 500A | Cut Server Option (Version 3.0) |
| Helitin | 500AC | Cut Server Option (Version 3.0) |
| Helitin | 500ACI | Cut Server Option (Version 3.0) |
| Helitin | 500B | Cut Server Option (Version 3.0) |
| Helitin | 500BC | Cut Server Option (Version 3.0) |
| Helitin | 500BC+ | Cut Server Option (Version 3.0) |
| Helitin | 500BCI | Cut Server Option (Version 3.0) |
| Helitin | 720A | Cut Server Option (Version 3.0) |
| Helitin | 720AC | Cut Server Option (Version 3.0) |
| Helitin | 720ACI | Cut Server Option (Version 3.0) |
| Helitin | 720B | Cut Server Option (Version 3.0) |
| Helitin | 720BC | Cut Server Option (Version 3.0) |
| Helitin | 720BC+ | Cut Server Option (Version 3.0) |
| Helitin | 720BCI | Cut Server Option (Version 3.0) |
| Helitin | 870A | Cut Server Option (Version 3.0) |
| Helitin | 870AC | Cut Server Option (Version 3.0) |
| Helitin | 870ACI | Cut Server Option (Version 3.0) |
| Helitin | 870B | Cut Server Option (Version 3.0) |
| Helitin | 870BC | Cut Server Option (Version 3.0) |
| Helitin | 870BC+ | Cut Server Option (Version 3.0) |
| Helitin | 870BCI | Cut Server Option (Version 3.0) |
| Helitin | HT-FL1200 | Cut Server Option (Version 3.0) |
| Helitin | HT-FP1209 | Cut Server Option (Version 3.0) |
| Helitin | HT-P1200-Eco | Cut Server Option (Version 3.0) |
| Helitin | HT-P1200-Water | Cut Server Option (Version 3.0) |
| Helitin | HT-P1600-Eco | Cut Server Option (Version 3.0) |
| Helitin | HT-P1600-Water | Cut Server Option (Version 3.0) |
| Helitin | HT-P500-Eco | Cut Server Option (Version 3.0) |
| Helitin | HT-P500-Water | Cut Server Option (Version 3.0) |
| Helitin | HT-P750-Eco | Cut Server Option (Version 3.0) |
| Helitin | HT-P750-Water | Cut Server Option (Version 3.0) |
| Helitin | HT-P900-Eco | Cut Server Option (Version 3.0) |
| Helitin | HT-P900-Water | Cut Server Option (Version 3.0) |
| Helitin | R-1350-AML | Cut Server Option (Version 3.0) |
| Helitin | R-500-AML | Cut Server Option (Version 3.0) |
| Helitin | R-720-AML | Cut Server Option (Version 3.0) |
| Houston Instruments | DMP-52 | Cut Server Option (Version 3.0) |
| Houston Instruments | DMP-56 | Cut Server Option (Version 3.0) |
| Houston Instruments | DMP-61 | Cut Server Option (Version 3.0) |
| Houston Instruments | DMP-65 | Cut Server Option (Version 3.0) |
| Houston Instruments | DMP-65C | Cut Server Option (Version 3.0) |
| Houston Instruments | DMP-69 | Cut Server Option (Version 3.0) |
| Houston Instruments | DMP-69C | Cut Server Option (Version 3.0) |
| HP | 7475 Absolute | Cut Server Option (Version 3.0) |
| HP | 7475 | Cut Server Option (Version 3.0) |
| HP | DXL | Cut Server Option (Version 3.0) |

Fiery proServer and Fiery XF 8.0 supported cutters

| Cutter Brand | Cutter Model | Required Product Option |
|--------------|----------------------|---------------------------------|
| HP | HPGL | Cut Server Option (Version 3.0) |
| HP | HPGL/2 Hyperdriver | Cut Server Option (Version 3.0) |
| HP | Latex 54 Basic | Cut Server Option (Version 3.0) |
| HP | Latex 54 Cutter | Cut Server Option (Version 3.0) |
| HP | Latex 54 Plus Basic | Cut Server Option (Version 3.0) |
| HP | Latex 54 Plus Cutter | Cut Server Option (Version 3.0) |
| HP | Latex 64 Cutter | Cut Server Option (Version 3.0) |
| HP | Latex 64 Plus Cutter | Cut Server Option (Version 3.0) |
| i-cut | i-cut | Cut Marks Option |
| ICUTTER | AutoMark | Cut Server Option (Version 3.0) |
| ICUTTER | KOALA AutoMark | Cut Server Option (Version 3.0) |
| ICUTTER | KOALA | Cut Server Option (Version 3.0) |
| ICUTTER | S Pro-AML | Cut Server Option (Version 3.0) |
| ICUTTER | S12 | Cut Server Option (Version 3.0) |
| ICUTTER | S12-USB | Cut Server Option (Version 3.0) |
| ICUTTER | S24 Pro | Cut Server Option (Version 3.0) |
| ICUTTER | S24 | Cut Server Option (Version 3.0) |
| ICUTTER | S24-USB | Cut Server Option (Version 3.0) |
| ICUTTER | S30 | Cut Server Option (Version 3.0) |
| ICUTTER | S30-USB | Cut Server Option (Version 3.0) |
| ICUTTER | S36 | Cut Server Option (Version 3.0) |
| ICUTTER | S36-USB | Cut Server Option (Version 3.0) |
| ICUTTER | S48 Pro | Cut Server Option (Version 3.0) |
| ICUTTER | S48 | Cut Server Option (Version 3.0) |
| ICUTTER | S48-USB | Cut Server Option (Version 3.0) |
| ICUTTER | S60 Pro | Cut Server Option (Version 3.0) |
| ICUTTER | S60 | Cut Server Option (Version 3.0) |
| ICUTTER | S60-USB | Cut Server Option (Version 3.0) |
| ICUTTER | V12 | Cut Server Option (Version 3.0) |
| ICUTTER | V24 | Cut Server Option (Version 3.0) |
| ICUTTER | V30 | Cut Server Option (Version 3.0) |
| ICUTTER | V36 | Cut Server Option (Version 3.0) |
| ICUTTER | V48 | Cut Server Option (Version 3.0) |
| ICUTTER | V60 PRO AutoMark | Cut Server Option (Version 3.0) |
| ICUTTER | V60 PRO | Cut Server Option (Version 3.0) |
| iECHO | iECHO-0 | Cut Server Option (Version 3.0) |
| iECHO | iECHO-1 | Cut Server Option (Version 3.0) |
| iECHO | iECHO-2 | Cut Server Option (Version 3.0) |
| iECHO | iECHO-4 | Cut Server Option (Version 3.0) |
| iECHO | iECHO-8 | Cut Server Option (Version 3.0) |
| i-Flow | C12 | Cut Server Option (Version 3.0) |
| i-Flow | C24 | Cut Server Option (Version 3.0) |
| i-Flow | C30 | Cut Server Option (Version 3.0) |
| i-Flow | C36 | Cut Server Option (Version 3.0) |
| i-Flow | C48 | Cut Server Option (Version 3.0) |
| i-Flow | S12 | Cut Server Option (Version 3.0) |
| i-Flow | S12-USB | Cut Server Option (Version 3.0) |
| i-Flow | S24 | Cut Server Option (Version 3.0) |
| i-Flow | S24-USB | Cut Server Option (Version 3.0) |
| i-Flow | S30 | Cut Server Option (Version 3.0) |
| i-Flow | S30-USB | Cut Server Option (Version 3.0) |

Fiery proServer and Fiery XF 8.0 supported cutters

| Cutter Brand | Cutter Model | Required Product Option |
|--------------|---------------------|---------------------------------|
| i-Flow | S36 | Cut Server Option (Version 3.0) |
| i-Flow | S36-USB | Cut Server Option (Version 3.0) |
| i-Flow | S48 | Cut Server Option (Version 3.0) |
| i-Flow | S48-USB | Cut Server Option (Version 3.0) |
| INK SPA | CT-1300L | Cut Server Option (Version 3.0) |
| INK SPA | CT-1660L | Cut Server Option (Version 3.0) |
| INK SPA | CT-440L | Cut Server Option (Version 3.0) |
| INK SPA | CT-740L | Cut Server Option (Version 3.0) |
| INK SPA | CT-AML | Cut Server Option (Version 3.0) |
| Ioline | 3700 | Cut Server Option (Version 3.0) |
| Ioline | 4000 | Cut Server Option (Version 3.0) |
| Ioline | Classic 24 | Cut Server Option (Version 3.0) |
| Ioline | ClassicPLUS | Cut Server Option (Version 3.0) |
| Ioline | Signature 5000 | Cut Server Option (Version 3.0) |
| Ioline | Signature 5400 | Cut Server Option (Version 3.0) |
| Ioline | SmarTrac Contour 30 | Cut Server Option (Version 3.0) |
| Ioline | SmarTrac Contour 40 | Cut Server Option (Version 3.0) |
| Ioline | SmarTrac Contour 48 | Cut Server Option (Version 3.0) |
| Ioline | SmarTrac Contour 72 | Cut Server Option (Version 3.0) |
| Ioline | SmarTrac I/S110 | Cut Server Option (Version 3.0) |
| Ioline | SmarTrac I/S130 | Cut Server Option (Version 3.0) |
| Ioline | SmarTrac I/S60 | Cut Server Option (Version 3.0) |
| Ioline | SmarTrac I/S85 | Cut Server Option (Version 3.0) |
| Ioline | Studio7/24 | Cut Server Option (Version 3.0) |
| Ioline | Studio7/36 | Cut Server Option (Version 3.0) |
| Ioline | Studio8/20 | Cut Server Option (Version 3.0) |
| Ioline | Studio8/30 | Cut Server Option (Version 3.0) |
| Ioline | Studio8/40 | Cut Server Option (Version 3.0) |
| Ioline | Studio8/40A | Cut Server Option (Version 3.0) |
| Ioline | Studio8/40T | Cut Server Option (Version 3.0) |
| Ioline | Studio8/52 | Cut Server Option (Version 3.0) |
| Ioline | Summit-2200 | Cut Server Option (Version 3.0) |
| Ioline | Summit-910 | Cut Server Option (Version 3.0) |
| Ioline | Super 88/30 | Cut Server Option (Version 3.0) |
| Ioline | Super 88/40 | Cut Server Option (Version 3.0) |
| Ioline | Super 88/52 | Cut Server Option (Version 3.0) |
| IVANTEC | IVANTEC-Hibrido Co2 | Cut Server Option (Version 3.0) |
| JiaChen | JC-1100ds | Cut Server Option (Version 3.0) |
| JiaChen | JC-1100H | Cut Server Option (Version 3.0) |
| JiaChen | JC-1350ds | Cut Server Option (Version 3.0) |
| JiaChen | JC-1350H | Cut Server Option (Version 3.0) |
| JiaChen | JC-720ds | Cut Server Option (Version 3.0) |
| JiaChen | JC-720H | Cut Server Option (Version 3.0) |
| JiaChen | JC-850ds | Cut Server Option (Version 3.0) |
| JiaChen | JC-850H | Cut Server Option (Version 3.0) |
| Jingwei | CB-1113 | Cut Server Option (Version 3.0) |
| Jingwei | CB-1311 | Cut Server Option (Version 3.0) |
| Jingwei | CB-1815 | Cut Server Option (Version 3.0) |
| Jingwei | CB-1816 | Cut Server Option (Version 3.0) |
| Jingwei | CB-2513 | Cut Server Option (Version 3.0) |
| Jingwei | CB-2516 | Cut Server Option (Version 3.0) |

Fiery proServer and Fiery XF 8.0 supported cutters

| Cutter Brand | Cutter Model | Required Product Option |
|--------------|----------------|---------------------------------|
| Jingwei | CB-2517 | Cut Server Option (Version 3.0) |
| Jingwei | CB-3020 | Cut Server Option (Version 3.0) |
| Jingwei | CB-3032 | Cut Server Option (Version 3.0) |
| Jingwei | CB-3116 | Cut Server Option (Version 3.0) |
| Jingwei | CB-3516 | Cut Server Option (Version 3.0) |
| Jingwei | CB-3520 | Cut Server Option (Version 3.0) |
| Jingwei | JWEI | Cut Server Option (Version 3.0) |
| Jingwei | LST03-0806RM | Cut Server Option (Version 3.0) |
| Jingwei | LST-0604RM | Cut Server Option (Version 3.0) |
| Jingwei | TB-2516 | Cut Server Option (Version 3.0) |
| Jingwei | TB-3121 | Cut Server Option (Version 3.0) |
| JINKA | GC-12 | Cut Server Option (Version 3.0) |
| JINKA | GC-24 | Cut Server Option (Version 3.0) |
| JINKA | GC-30 | Cut Server Option (Version 3.0) |
| JINKA | GC-48 | Cut Server Option (Version 3.0) |
| JINKA | JK-1101 | Cut Server Option (Version 3.0) |
| JINKA | JK-1351 | Cut Server Option (Version 3.0) |
| JINKA | JK-1351-AML | Cut Server Option (Version 3.0) |
| JINKA | JK-1660 | Cut Server Option (Version 3.0) |
| JINKA | JK-240 | Cut Server Option (Version 3.0) |
| JINKA | JK-330 | Cut Server Option (Version 3.0) |
| JINKA | JK-365 | Cut Server Option (Version 3.0) |
| JINKA | JK-721 | Cut Server Option (Version 3.0) |
| JINKA | JK-721-AML | Cut Server Option (Version 3.0) |
| JINKA | JK-871 | Cut Server Option (Version 3.0) |
| JINKA | JK-AML | Cut Server Option (Version 3.0) |
| JINKA | JK-ML | Cut Server Option (Version 3.0) |
| JINKA | MultiSeg-AML | Cut Server Option (Version 3.0) |
| JINKA | XL-1350 | Cut Server Option (Version 3.0) |
| JINKA | XL-1350-AML | Cut Server Option (Version 3.0) |
| JINKA | YS-15 | Cut Server Option (Version 3.0) |
| JINKA | YS-15-AML | Cut Server Option (Version 3.0) |
| JSI | JSI-24 | Cut Server Option (Version 3.0) |
| King Rabbit | HX-AML-DMPL | Cut Server Option (Version 3.0) |
| King Rabbit | HX-AML-HPGL | Cut Server Option (Version 3.0) |
| King Rabbit | Rabbit HX-1200 | Cut Server Option (Version 3.0) |
| King Rabbit | Rabbit HX-1360 | Cut Server Option (Version 3.0) |
| King Rabbit | Rabbit HX-1780 | Cut Server Option (Version 3.0) |
| King Rabbit | Rabbit HX-360 | Cut Server Option (Version 3.0) |
| King Rabbit | Rabbit HX-720 | Cut Server Option (Version 3.0) |
| King Rabbit | Rabbit HX-800 | Cut Server Option (Version 3.0) |
| King Rabbit | Rabbit HX-960 | Cut Server Option (Version 3.0) |
| Kongsberg | Kongsberg | Cut Marks Option |
| Kroy | KMC CP-120 | Cut Server Option (Version 3.0) |
| Kroy | Preart CP-150 | Cut Server Option (Version 3.0) |
| Laser Cutter | Laser-Cutter | Cut Server Option (Version 3.0) |
| Laser Cutter | Laser-CutterS | Cut Server Option (Version 3.0) |
| LG-Palopoli | CCP52 | Cut Server Option (Version 3.0) |
| LG-Palopoli | ECO-31 | Cut Server Option (Version 3.0) |
| LG-Palopoli | ECO-61 | Cut Server Option (Version 3.0) |
| LG-Palopoli | JPP36 | Cut Server Option (Version 3.0) |

Fiery proServer and Fiery XF 8.0 supported cutters

| Cutter Brand | Cutter Model | Required Product Option |
|--------------|-------------------|---------------------------------|
| LG-Palopoli | JPP40 | Cut Server Option (Version 3.0) |
| LG-Palopoli | MLP21 | Cut Server Option (Version 3.0) |
| LG-Palopoli | MLP24 Pro | Cut Server Option (Version 3.0) |
| LG-Palopoli | MLP24 | Cut Server Option (Version 3.0) |
| LIST | LIST-1350 | Cut Server Option (Version 3.0) |
| LiYu Cut | AutoMark-AML-DMPL | Cut Server Option (Version 3.0) |
| LiYu Cut | AutoMark-AML-HPGL | Cut Server Option (Version 3.0) |
| LiYu Cut | AutoMark-AMU | Cut Server Option (Version 3.0) |
| LiYu Cut | HC Series | Cut Server Option (Version 3.0) |
| LiYu Cut | MC Series | Cut Server Option (Version 3.0) |
| LiYu Cut | SC Series | Cut Server Option (Version 3.0) |
| LiYu Cut | SF Series | Cut Server Option (Version 3.0) |
| LiYu Cut | SL Series | Cut Server Option (Version 3.0) |
| LiYu Cut | TC Series | Cut Server Option (Version 3.0) |
| LiYu Cut | TL Series | Cut Server Option (Version 3.0) |
| L-Tech | Router | Cut Server Option (Version 3.0) |
| L-Tech | UCNC-7 | Cut Server Option (Version 3.0) |
| MATIC | Helios Plus | Cut Marks Option |
| Mecamatic | M10 | Cut Server Option (Version 3.0) |
| Mecamatic | M100V1 | Cut Server Option (Version 3.0) |
| Mecamatic | M11PP | Cut Server Option (Version 3.0) |
| Mecamatic | M13D | Cut Server Option (Version 3.0) |
| Mecamatic | M13Q | Cut Server Option (Version 3.0) |
| Mecamatic | M15PP | Cut Server Option (Version 3.0) |
| Mecamatic | M15S | Cut Server Option (Version 3.0) |
| Mecamatic | M15ZS | Cut Server Option (Version 3.0) |
| Mecamatic | M16D | Cut Server Option (Version 3.0) |
| Mecamatic | M16Q | Cut Server Option (Version 3.0) |
| Mecamatic | M18V1 | Cut Server Option (Version 3.0) |
| Mecamatic | M18V2 | Cut Server Option (Version 3.0) |
| Mecamatic | M2 | Cut Server Option (Version 3.0) |
| Mecamatic | M20B | Cut Server Option (Version 3.0) |
| Mecamatic | M20PP | Cut Server Option (Version 3.0) |
| Mecamatic | M20S | Cut Server Option (Version 3.0) |
| Mecamatic | M2CC | Cut Server Option (Version 3.0) |
| Mecamatic | M3CC | Cut Server Option (Version 3.0) |
| Mecamatic | M3PPQ | Cut Server Option (Version 3.0) |
| Mecamatic | M5V1 | Cut Server Option (Version 3.0) |
| Mecamatic | M5V2 | Cut Server Option (Version 3.0) |
| Mecamatic | M6 | Cut Server Option (Version 3.0) |
| Mecamatic | MF AAF | Cut Server Option (Version 3.0) |
| Mecamatic | MF10 | Cut Server Option (Version 3.0) |
| Mecamatic | MF100 | Cut Server Option (Version 3.0) |
| Mecamatic | MF1500-L | Cut Server Option (Version 3.0) |
| Mecamatic | MF1500-N | Cut Server Option (Version 3.0) |
| Mecamatic | MF1500-S | Cut Server Option (Version 3.0) |
| Mecamatic | MF150-L | Cut Server Option (Version 3.0) |
| Mecamatic | MF150-N | Cut Server Option (Version 3.0) |
| Mecamatic | MF150-S10 | Cut Server Option (Version 3.0) |
| Mecamatic | MF150-S12 | Cut Server Option (Version 3.0) |
| Mecamatic | MF150-S8 | Cut Server Option (Version 3.0) |

Fiery proServer and Fiery XF 8.0 supported cutters

| Cutter Brand | Cutter Model | Required Product Option |
|-----------------------------------|-----------------|---------------------------------|
| Mecamatic | MF200 | Cut Server Option (Version 3.0) |
| Mecamatic | MF300 | Cut Server Option (Version 3.0) |
| Mecamatic | MF3525 | Cut Server Option (Version 3.0) |
| Mecamatic | MF4020 | Cut Server Option (Version 3.0) |
| Mecamatic | MF800N | Cut Server Option (Version 3.0) |
| Mecamatic | MF800S | Cut Server Option (Version 3.0) |
| Mecamatic | MG100 | Cut Server Option (Version 3.0) |
| Mecamatic | MG10070 | Cut Server Option (Version 3.0) |
| Mecamatic | MG1512 | Cut Server Option (Version 3.0) |
| Mecamatic | MG60 | Cut Server Option (Version 3.0) |
| Mecamatic | MGCYL | Cut Server Option (Version 3.0) |
| Mecamatic | MS13CC | Cut Server Option (Version 3.0) |
| Mecamatic | MS16 | Cut Server Option (Version 3.0) |
| Mecamatic | MS30 | Cut Server Option (Version 3.0) |
| Mecamatic | MS31 | Cut Server Option (Version 3.0) |
| Mecamatic | MS50 | Cut Server Option (Version 3.0) |
| Mecamatic | MS60 | Cut Server Option (Version 3.0) |
| Mehta Rex Digital Cutting Plotter | AR24 | Cut Server Option (Version 3.0) |
| Mehta Rex Digital Cutting Plotter | Bengal BN-60 | Cut Server Option (Version 3.0) |
| Mehta Rex Digital Cutting Plotter | Bobcat BI-30 | Cut Server Option (Version 3.0) |
| Mehta Rex Digital Cutting Plotter | Bobcat BI-60 | Cut Server Option (Version 3.0) |
| Mehta Rex Digital Cutting Plotter | EnduraCut | Cut Server Option (Version 3.0) |
| Mehta Rex Digital Cutting Plotter | Expert II-24 LX | Cut Server Option (Version 3.0) |
| Mehta Rex Digital Cutting Plotter | Expert II-24 | Cut Server Option (Version 3.0) |
| Mehta Rex Digital Cutting Plotter | Expert II-52 LX | Cut Server Option (Version 3.0) |
| Mehta Rex Digital Cutting Plotter | Expert II-52 | Cut Server Option (Version 3.0) |
| Mehta Rex Digital Cutting Plotter | Expert Pro-132 | Cut Server Option (Version 3.0) |
| Mehta Rex Digital Cutting Plotter | Expert Pro-60 | Cut Server Option (Version 3.0) |
| Mehta Rex Digital Cutting Plotter | Expert-24 LX | Cut Server Option (Version 3.0) |
| Mehta Rex Digital Cutting Plotter | Expert-24 | Cut Server Option (Version 3.0) |
| Mehta Rex Digital Cutting Plotter | Expert-52 LX | Cut Server Option (Version 3.0) |
| Mehta Rex Digital Cutting Plotter | Expert-52 | Cut Server Option (Version 3.0) |
| Mehta Rex Digital Cutting Plotter | GCC JF-240UV | Cut Server Option (Version 3.0) |
| Mehta Rex Digital Cutting Plotter | GCC JF-240UVII | Cut Server Option (Version 3.0) |
| Mehta Rex Digital Cutting Plotter | GCC JFT-2415UV | Cut Server Option (Version 3.0) |
| Mehta Rex Digital Cutting Plotter | GRC-02 | Cut Server Option (Version 3.0) |
| Mehta Rex Digital Cutting Plotter | GRC-03 | Cut Server Option (Version 3.0) |
| Mehta Rex Digital Cutting Plotter | GRC-22 | Cut Server Option (Version 3.0) |
| Mehta Rex Digital Cutting Plotter | GRC-23 | Cut Server Option (Version 3.0) |
| Mehta Rex Digital Cutting Plotter | i-Craft | Cut Server Option (Version 3.0) |
| Mehta Rex Digital Cutting Plotter | Jaguar III-101 | Cut Server Option (Version 3.0) |
| Mehta Rex Digital Cutting Plotter | Jaguar III-132 | Cut Server Option (Version 3.0) |
| Mehta Rex Digital Cutting Plotter | Jaguar III-183 | Cut Server Option (Version 3.0) |
| Mehta Rex Digital Cutting Plotter | Jaguar III-61 | Cut Server Option (Version 3.0) |
| Mehta Rex Digital Cutting Plotter | Jaguar III-76 | Cut Server Option (Version 3.0) |
| Mehta Rex Digital Cutting Plotter | Jaguar IV-101 | Cut Server Option (Version 3.0) |
| Mehta Rex Digital Cutting Plotter | Jaguar IV-132 | Cut Server Option (Version 3.0) |
| Mehta Rex Digital Cutting Plotter | Jaguar IV-183 | Cut Server Option (Version 3.0) |
| Mehta Rex Digital Cutting Plotter | Jaguar IV-61 | Cut Server Option (Version 3.0) |
| Mehta Rex Digital Cutting Plotter | Jaguar IV-76 | Cut Server Option (Version 3.0) |
| Mehta Rex Digital Cutting Plotter | Jaguar JII-101S | Cut Server Option (Version 3.0) |

Fiery proServer and Fiery XF 8.0 supported cutters

| Cutter Brand | Cutter Model | Required Product Option |
|-----------------------------------|-----------------|---------------------------------|
| Mehta Rex Digital Cutting Plotter | Jaguar JII-132S | Cut Server Option (Version 3.0) |
| Mehta Rex Digital Cutting Plotter | Jaguar JII-61 | Cut Server Option (Version 3.0) |
| Mehta Rex Digital Cutting Plotter | Jaguar JII-76S | Cut Server Option (Version 3.0) |
| Mehta Rex Digital Cutting Plotter | Jaguar JR-101S | Cut Server Option (Version 3.0) |
| Mehta Rex Digital Cutting Plotter | Jaguar JR-132S | Cut Server Option (Version 3.0) |
| Mehta Rex Digital Cutting Plotter | Jaguar JR-61 | Cut Server Option (Version 3.0) |
| Mehta Rex Digital Cutting Plotter | Jaguar JR-76S | Cut Server Option (Version 3.0) |
| Mehta Rex Digital Cutting Plotter | Jaguar V-101 LX | Cut Server Option (Version 3.0) |
| Mehta Rex Digital Cutting Plotter | Jaguar V-101 | Cut Server Option (Version 3.0) |
| Mehta Rex Digital Cutting Plotter | Jaguar V-132 LX | Cut Server Option (Version 3.0) |
| Mehta Rex Digital Cutting Plotter | Jaguar V-132 | Cut Server Option (Version 3.0) |
| Mehta Rex Digital Cutting Plotter | Jaguar V-160 LX | Cut Server Option (Version 3.0) |
| Mehta Rex Digital Cutting Plotter | Jaguar V-160 | Cut Server Option (Version 3.0) |
| Mehta Rex Digital Cutting Plotter | Jaguar V-183 LX | Cut Server Option (Version 3.0) |
| Mehta Rex Digital Cutting Plotter | Jaguar V-183 | Cut Server Option (Version 3.0) |
| Mehta Rex Digital Cutting Plotter | Jaguar V-61 LX | Cut Server Option (Version 3.0) |
| Mehta Rex Digital Cutting Plotter | Jaguar V-61 | Cut Server Option (Version 3.0) |
| Mehta Rex Digital Cutting Plotter | Lynx III | Cut Server Option (Version 3.0) |
| Mehta Rex Digital Cutting Plotter | Lynx S-132S | Cut Server Option (Version 3.0) |
| Mehta Rex Digital Cutting Plotter | Lynx S-30 | Cut Server Option (Version 3.0) |
| Mehta Rex Digital Cutting Plotter | Lynx S-60 | Cut Server Option (Version 3.0) |
| Mehta Rex Digital Cutting Plotter | Panther IV | Cut Server Option (Version 3.0) |
| Mehta Rex Digital Cutting Plotter | Puma II-132S | Cut Server Option (Version 3.0) |
| Mehta Rex Digital Cutting Plotter | Puma II-30 | Cut Server Option (Version 3.0) |
| Mehta Rex Digital Cutting Plotter | Puma II-60 | Cut Server Option (Version 3.0) |
| Mehta Rex Digital Cutting Plotter | Puma III-132S | Cut Server Option (Version 3.0) |
| Mehta Rex Digital Cutting Plotter | Puma III-60 | Cut Server Option (Version 3.0) |
| Mehta Rex Digital Cutting Plotter | Puma IV-132 LX | Cut Server Option (Version 3.0) |
| Mehta Rex Digital Cutting Plotter | Puma IV-132 | Cut Server Option (Version 3.0) |
| Mehta Rex Digital Cutting Plotter | Puma IV-60 LX | Cut Server Option (Version 3.0) |
| Mehta Rex Digital Cutting Plotter | Puma IV-60 | Cut Server Option (Version 3.0) |
| Mehta Rex Digital Cutting Plotter | Puma-132S | Cut Server Option (Version 3.0) |
| Mehta Rex Digital Cutting Plotter | Puma-30 | Cut Server Option (Version 3.0) |
| Mehta Rex Digital Cutting Plotter | Puma-60 | Cut Server Option (Version 3.0) |
| Mehta Rex Digital Cutting Plotter | RX II-101 | Cut Server Option (Version 3.0) |
| Mehta Rex Digital Cutting Plotter | RX II-132 | Cut Server Option (Version 3.0) |
| Mehta Rex Digital Cutting Plotter | RX II-183 | Cut Server Option (Version 3.0) |
| Mehta Rex Digital Cutting Plotter | RX II-61 | Cut Server Option (Version 3.0) |
| Mehta Rex Digital Cutting Plotter | RX II-61-CR | Cut Server Option (Version 3.0) |
| Mehta Rex Digital Cutting Plotter | RX-101 | Cut Server Option (Version 3.0) |
| Mehta Rex Digital Cutting Plotter | RX-132 | Cut Server Option (Version 3.0) |
| Mehta Rex Digital Cutting Plotter | RX-183 | Cut Server Option (Version 3.0) |
| Mehta Rex Digital Cutting Plotter | RX-61 | Cut Server Option (Version 3.0) |
| Mehta Rex Digital Cutting Plotter | Sable SB-60 | Cut Server Option (Version 3.0) |
| Mehta Rex Digital Cutting Plotter | Ultra GRC-101S | Cut Server Option (Version 3.0) |
| Mehta Rex Digital Cutting Plotter | Ultra GRC-132S | Cut Server Option (Version 3.0) |
| Mehta Rex Digital Cutting Plotter | Ultra GRC-30 | Cut Server Option (Version 3.0) |
| Mehta Rex Digital Cutting Plotter | Ultra GRC-50 | Cut Server Option (Version 3.0) |
| Mehta Rex Digital Cutting Plotter | Ultra GRC-60 | Cut Server Option (Version 3.0) |
| Mehta Rex Digital Cutting Plotter | Ultra GRC-61 | Cut Server Option (Version 3.0) |
| Mehta Rex Digital Cutting Plotter | Ultra GRC-76S | Cut Server Option (Version 3.0) |

Fiery proServer and Fiery XF 8.0 supported cutters

| Cutter Brand | Cutter Model | Required Product Option |
|-----------------------------------|------------------|---------------------------------|
| Mehta Rex Digital Cutting Plotter | UltraPlus GRC-50 | Cut Server Option (Version 3.0) |
| Mimaki | CF-0907 | Cut Server Option (Version 3.0) |
| Mimaki | CF-0907-2 | Cut Server Option (Version 3.0) |
| Mimaki | CF-0907-2-S | Cut Server Option (Version 3.0) |
| Mimaki | CF-0912 | Cut Server Option (Version 3.0) |
| Mimaki | CF-0912-2 | Cut Server Option (Version 3.0) |
| Mimaki | CF-0912-2-S | Cut Server Option (Version 3.0) |
| Mimaki | CF-120P | Cut Server Option (Version 3.0) |
| Mimaki | CF-120T | Cut Server Option (Version 3.0) |
| Mimaki | CF-1215 | Cut Server Option (Version 3.0) |
| Mimaki | CF-1215-2 | Cut Server Option (Version 3.0) |
| Mimaki | CF-1215-2-S | Cut Server Option (Version 3.0) |
| Mimaki | CF-1218 | Cut Server Option (Version 3.0) |
| Mimaki | CF-1218-2 | Cut Server Option (Version 3.0) |
| Mimaki | CF-1218-2-S | Cut Server Option (Version 3.0) |
| Mimaki | CF-150 | Cut Server Option (Version 3.0) |
| Mimaki | CF22-1225 | Cut Server Option (Version 3.0) |
| Mimaki | CF3-1610 | Cut Server Option (Version 3.0) |
| Mimaki | CF3-1631 | Cut Server Option (Version 3.0) |
| Mimaki | CF-60D | Cut Server Option (Version 3.0) |
| Mimaki | CF-60P | Cut Server Option (Version 3.0) |
| Mimaki | CF-60T | Cut Server Option (Version 3.0) |
| Mimaki | CFL-605RT | Cut Server Option (Version 3.0) |
| Mimaki | CG-100AR | Cut Server Option (Version 3.0) |
| Mimaki | CG-100EX | Cut Server Option (Version 3.0) |
| Mimaki | CG-100LX | Cut Server Option (Version 3.0) |
| Mimaki | CG-100SRII | Cut Server Option (Version 3.0) |
| Mimaki | CG-100SRIII | Cut Server Option (Version 3.0) |
| Mimaki | CG-101 | Cut Server Option (Version 3.0) |
| Mimaki | CG-12 | Cut Server Option (Version 3.0) |
| Mimaki | CG-121 | Cut Server Option (Version 3.0) |
| Mimaki | CG-130AR | Cut Server Option (Version 3.0) |
| Mimaki | CG-130EX | Cut Server Option (Version 3.0) |
| Mimaki | CG-130FX | Cut Server Option (Version 3.0) |
| Mimaki | CG-130FXII Plus | Cut Server Option (Version 3.0) |
| Mimaki | CG-130FXII | Cut Server Option (Version 3.0) |
| Mimaki | CG-130LX | Cut Server Option (Version 3.0) |
| Mimaki | CG-130SRII | Cut Server Option (Version 3.0) |
| Mimaki | CG-130SRIII | Cut Server Option (Version 3.0) |
| Mimaki | CG-160FX | Cut Server Option (Version 3.0) |
| Mimaki | CG-160FXII Plus | Cut Server Option (Version 3.0) |
| Mimaki | CG-160FXII | Cut Server Option (Version 3.0) |
| Mimaki | CG-45 | Cut Server Option (Version 3.0) |
| Mimaki | CG-5 | Cut Server Option (Version 3.0) |
| Mimaki | CG-50 | Cut Server Option (Version 3.0) |
| Mimaki | CG-51 | Cut Server Option (Version 3.0) |
| Mimaki | CG-6 | Cut Server Option (Version 3.0) |
| Mimaki | CG-60 | Cut Server Option (Version 3.0) |
| Mimaki | CG-60AR | Cut Server Option (Version 3.0) |
| Mimaki | CG-60EX | Cut Server Option (Version 3.0) |
| Mimaki | CG-60SL | Cut Server Option (Version 3.0) |

Fiery proServer and Fiery XF 8.0 supported cutters

| Cutter Brand | Cutter Model | Required Product Option |
|--------------|-----------------------------|---------------------------------|
| Mimaki | CG-60SR | Cut Server Option (Version 3.0) |
| Mimaki | CG-60SRIII | Cut Server Option (Version 3.0) |
| Mimaki | CG-60st | Cut Server Option (Version 3.0) |
| Mimaki | CG-61 | Cut Server Option (Version 3.0) |
| Mimaki | CG-75FX | Cut Server Option (Version 3.0) |
| Mimaki | CG-75FXII Plus | Cut Server Option (Version 3.0) |
| Mimaki | CG-75FXII | Cut Server Option (Version 3.0) |
| Mimaki | CG-9 | Cut Server Option (Version 3.0) |
| Mimaki | CG-90 | Cut Server Option (Version 3.0) |
| Mimaki | CJV150-107 | Cut Server Option (Version 3.0) |
| Mimaki | CJV150-130 | Cut Server Option (Version 3.0) |
| Mimaki | CJV150-160 | Cut Server Option (Version 3.0) |
| Mimaki | CJV150-75 | Cut Server Option (Version 3.0) |
| Mimaki | CJV300-130 | Cut Server Option (Version 3.0) |
| Mimaki | CJV300-160 | Cut Server Option (Version 3.0) |
| Mimaki | CJV300Plus-130 | Cut Server Option (Version 3.0) |
| Mimaki | CJV300Plus-160 | Cut Server Option (Version 3.0) |
| Mimaki | CJV30-100 | Cut Server Option (Version 3.0) |
| Mimaki | CJV30-100BS | Cut Server Option (Version 3.0) |
| Mimaki | CJV30-130 | Cut Server Option (Version 3.0) |
| Mimaki | CJV30-130BS | Cut Server Option (Version 3.0) |
| Mimaki | CJV30-160 | Cut Server Option (Version 3.0) |
| Mimaki | CJV30-160BS | Cut Server Option (Version 3.0) |
| Mimaki | CJV30-60 | Cut Server Option (Version 3.0) |
| Mimaki | CJV30-60BS | Cut Server Option (Version 3.0) |
| Mimaki | CJV330-130 | Cut Server Option (Version 3.0) |
| Mimaki | CJV330-160 | Cut Server Option (Version 3.0) |
| Mimaki | GPGI | Cut Server Option (Version 3.0) |
| Mimaki | My Cut MC-300S | Cut Server Option (Version 3.0) |
| Mimaki | NC-5 | Cut Server Option (Version 3.0) |
| Mimaki | TCP-1000 | Cut Server Option (Version 3.0) |
| Mimaki | TPC-600 | Cut Server Option (Version 3.0) |
| Mimaki | UCJV150-160 | Cut Server Option (Version 3.0) |
| Mimaki | UCJV300-107 CMYK | Cut Server Option (Version 3.0) |
| Mimaki | UCJV300-107 CMYKLcLmW | Cut Server Option (Version 3.0) |
| Mimaki | UCJV300-130 CMYK | Cut Server Option (Version 3.0) |
| Mimaki | UCJV300-130 CMYKLcLmW | Cut Server Option (Version 3.0) |
| Mimaki | UCJV300-160 CMYK | Cut Server Option (Version 3.0) |
| Mimaki | UCJV300-160 CMYKLcLmW | Cut Server Option (Version 3.0) |
| Mimaki | UCJV300-75 CMYK | Cut Server Option (Version 3.0) |
| Mimaki | UCJV300-75 CMYKLcLmW | Cut Server Option (Version 3.0) |
| MultiCam | MultiCam MultiVision Cutter | Cut Marks Option |
| MUSE | ARTISAN | Cut Server Option (Version 3.0) |
| MUSE | M15-AML | Cut Server Option (Version 3.0) |
| MUSE | M24-AML | Cut Server Option (Version 3.0) |
| MUSE | M60-AML | Cut Server Option (Version 3.0) |
| Mutoh | IP-220 | Cut Server Option (Version 3.0) |
| Mutoh | JuniorPlus | Cut Server Option (Version 3.0) |
| Mutoh | KONA 1400 | Cut Server Option (Version 3.0) |
| Mutoh | KONA 1650 | Cut Server Option (Version 3.0) |
| Mutoh | KONA 760 | Cut Server Option (Version 3.0) |

Fiery proServer and Fiery XF 8.0 supported cutters

| Cutter Brand | Cutter Model | Required Product Option |
|---------------|-------------------|---------------------------------|
| Mutoh | Marathon MC-1300 | Cut Server Option (Version 3.0) |
| Mutoh | MC-1000 | Cut Server Option (Version 3.0) |
| Mutoh | MC-1000S | Cut Server Option (Version 3.0) |
| Mutoh | MC-1300 | Cut Server Option (Version 3.0) |
| Mutoh | MC-1300S | Cut Server Option (Version 3.0) |
| Mutoh | MC-1650 | Cut Server Option (Version 3.0) |
| Mutoh | MC-650S | Cut Server Option (Version 3.0) |
| Mutoh | MC-750S | Cut Server Option (Version 3.0) |
| Mutoh | SC-1000 | Cut Server Option (Version 3.0) |
| Mutoh | SC-1300 | Cut Server Option (Version 3.0) |
| Mutoh | SC-1400 D | Cut Server Option (Version 3.0) |
| Mutoh | SC-550 | Cut Server Option (Version 3.0) |
| Mutoh | SC-650 | Cut Server Option (Version 3.0) |
| Mutoh | SC-750 | Cut Server Option (Version 3.0) |
| Mutoh | SC-850 D | Cut Server Option (Version 3.0) |
| Mutoh | SC-PRO 1400 | Cut Server Option (Version 3.0) |
| Mutoh | SC-PRO 1650 | Cut Server Option (Version 3.0) |
| Mutoh | TC-1000 | Cut Server Option (Version 3.0) |
| Mutoh | TC-1300 | Cut Server Option (Version 3.0) |
| Mutoh | TC-650 | Cut Server Option (Version 3.0) |
| Mutoh | TC-750 | Cut Server Option (Version 3.0) |
| Mutoh | ValueCut VC-1300 | Cut Server Option (Version 3.0) |
| Mutoh | ValueCut VC-1800 | Cut Server Option (Version 3.0) |
| Mutoh | ValueCut VC2-1300 | Cut Server Option (Version 3.0) |
| Mutoh | ValueCut VC2-1800 | Cut Server Option (Version 3.0) |
| Mutoh | ValueCut VC2-600 | Cut Server Option (Version 3.0) |
| Mutoh | ValueCut VC-600 | Cut Server Option (Version 3.0) |
| Mutoh | XP-1250C | Cut Server Option (Version 3.0) |
| Mutoh | XP-1251C | Cut Server Option (Version 3.0) |
| Mutoh | XP-620C | Cut Server Option (Version 3.0) |
| Mutoh | XP-621C | Cut Server Option (Version 3.0) |
| Mutoh | XP-940C | Cut Server Option (Version 3.0) |
| Mutoh | XP-941C | Cut Server Option (Version 3.0) |
| MYCUT | MC1200-AML | Cut Server Option (Version 3.0) |
| MYCUT | MC630-AML | Cut Server Option (Version 3.0) |
| MYCUT | MG630-AML | Cut Server Option (Version 3.0) |
| MYCUT | MS630-AML | Cut Server Option (Version 3.0) |
| New Star | CP-1230 | Cut Server Option (Version 3.0) |
| New Star | CP-900 | Cut Server Option (Version 3.0) |
| New Star | OM-100 | Cut Server Option (Version 3.0) |
| New Star | OM-130 | Cut Server Option (Version 3.0) |
| New Star | OM-40 | Cut Server Option (Version 3.0) |
| New Star | OM-60 | Cut Server Option (Version 3.0) |
| New Star | OM-70 | Cut Server Option (Version 3.0) |
| New Star | OM-80 | Cut Server Option (Version 3.0) |
| Newing-Hall | Accutrac | Cut Server Option (Version 3.0) |
| Norris Booth | Future 1000 | Cut Server Option (Version 3.0) |
| Omnisign Plus | PRO 1200 | Cut Server Option (Version 3.0) |
| Omnisign Plus | PRO 1200S (U) | Cut Server Option (Version 3.0) |
| Omnisign Plus | PRO 1200S | Cut Server Option (Version 3.0) |
| Omnisign Plus | PRO 600 | Cut Server Option (Version 3.0) |

Fiery proServer and Fiery XF 8.0 supported cutters

| Cutter Brand | Cutter Model | Required Product Option |
|--------------------|-------------------------------|---------------------------------|
| Omnisign Plus | PRO 600S (U) | Cut Server Option (Version 3.0) |
| Omnisign Plus | PRO 600S | Cut Server Option (Version 3.0) |
| Pericut | Cutter | Cut Server Option (Version 3.0) |
| PIXELMAKER | PM-1300 | Cut Server Option (Version 3.0) |
| PIXELMAKER | PM-440 | Cut Server Option (Version 3.0) |
| PIXELMAKER | PM-740 | Cut Server Option (Version 3.0) |
| PIXELMAKER | PM-AML | Cut Server Option (Version 3.0) |
| Plotter Tech | 700SP | Cut Server Option (Version 3.0) |
| POLARIS | POLARIS 1300 | Cut Server Option (Version 3.0) |
| POLARIS | POLARIS 1660 | Cut Server Option (Version 3.0) |
| POLARIS | POLARIS 440 | Cut Server Option (Version 3.0) |
| POLARIS | POLARIS 740 | Cut Server Option (Version 3.0) |
| POLARIS | POLARIS-AML | Cut Server Option (Version 3.0) |
| PowerCut | 1300-BT | Cut Server Option (Version 3.0) |
| PowerCut | 1660-BT | Cut Server Option (Version 3.0) |
| PowerCut | 440-BT | Cut Server Option (Version 3.0) |
| PowerCut | 740-BT | Cut Server Option (Version 3.0) |
| PowerCut | BT-AML | Cut Server Option (Version 3.0) |
| Primera Technology | Digital Label and Decal Press | Cut Server Option (Version 3.0) |
| ProCut | CR-1200 | Cut Server Option (Version 3.0) |
| ProCut | CR-1200G | Cut Server Option (Version 3.0) |
| ProCut | CR-1300 | Cut Server Option (Version 3.0) |
| ProCut | CR-1300F | Cut Server Option (Version 3.0) |
| ProCut | CR-630 | Cut Server Option (Version 3.0) |
| ProCut | CR-630G | Cut Server Option (Version 3.0) |
| ProCut | CR-730 | Cut Server Option (Version 3.0) |
| ProCut | CR-730F | Cut Server Option (Version 3.0) |
| RedSail Tech | RS1120C | Cut Server Option (Version 3.0) |
| RedSail Tech | RS1120D | Cut Server Option (Version 3.0) |
| RedSail Tech | RS1360C | Cut Server Option (Version 3.0) |
| RedSail Tech | RS1360D | Cut Server Option (Version 3.0) |
| RedSail Tech | RS360C | Cut Server Option (Version 3.0) |
| RedSail Tech | RS450C | Cut Server Option (Version 3.0) |
| RedSail Tech | RS450D | Cut Server Option (Version 3.0) |
| RedSail Tech | RS720C | Cut Server Option (Version 3.0) |
| RedSail Tech | RS720D | Cut Server Option (Version 3.0) |
| RedSail Tech | RS800C | Cut Server Option (Version 3.0) |
| RedSail Tech | RS800D | Cut Server Option (Version 3.0) |
| Refine-Cut | ECO Series | Cut Server Option (Version 3.0) |
| Refine-Cut | PRO Series | Cut Server Option (Version 3.0) |
| Refine-Cut | SP Series | Cut Server Option (Version 3.0) |
| Resolve | CP52 | Cut Server Option (Version 3.0) |
| RF(GER) Cutters | DC-240 | Cut Server Option (Version 3.0) |
| RF(GER) Cutters | DC-330 | Cut Server Option (Version 3.0) |
| RF(GER) Cutters | EH-1101 | Cut Server Option (Version 3.0) |
| RF(GER) Cutters | EH-1351 | Cut Server Option (Version 3.0) |
| RF(GER) Cutters | EH-365 | Cut Server Option (Version 3.0) |
| RF(GER) Cutters | EH-721 | Cut Server Option (Version 3.0) |
| RF(GER) Cutters | EH-871 | Cut Server Option (Version 3.0) |
| RF(GER) Cutters | MH-1101 | Cut Server Option (Version 3.0) |
| RF(GER) Cutters | MH-1351 | Cut Server Option (Version 3.0) |

Fiery proServer and Fiery XF 8.0 supported cutters

| Cutter Brand | Cutter Model | Required Product Option |
|-----------------|-----------------------|---------------------------------|
| RF(GER) Cutters | MH-365 | Cut Server Option (Version 3.0) |
| RF(GER) Cutters | MH-721 | Cut Server Option (Version 3.0) |
| RF(GER) Cutters | MH-871 | Cut Server Option (Version 3.0) |
| RF(GER) Cutters | XL-24 | Cut Server Option (Version 3.0) |
| RF(GER) Cutters | XL-48 | Cut Server Option (Version 3.0) |
| Rheinstern | LB-720A | Cut Server Option (Version 3.0) |
| RHINOTEC | RC-130ax | Cut Server Option (Version 3.0) |
| RHINOTEC | RC-130sax | Cut Server Option (Version 3.0) |
| RHINOTEC | RC-130x | Cut Server Option (Version 3.0) |
| RHINOTEC | RC-60ax | Cut Server Option (Version 3.0) |
| RHINOTEC | RC-60sax | Cut Server Option (Version 3.0) |
| RHINOTEC | RC-60x | Cut Server Option (Version 3.0) |
| Roland | CAMMJET CJ-400 | Cut Server Option (Version 3.0) |
| Roland | CAMMJET CJ-500 | Cut Server Option (Version 3.0) |
| Roland | CAMMJET CJ-60 | Cut Server Option (Version 3.0) |
| Roland | CAMMJET CJ-70 | Cut Server Option (Version 3.0) |
| Roland | CAMMJET PRO II CJ-540 | Cut Server Option (Version 3.0) |
| Roland | CM-12 | Cut Server Option (Version 3.0) |
| Roland | CM-24 | Cut Server Option (Version 3.0) |
| Roland | CM-300 | Cut Server Option (Version 3.0) |
| Roland | CM-400 | Cut Server Option (Version 3.0) |
| Roland | CM-500 | Cut Server Option (Version 3.0) |
| Roland | ColorCAMM PC-50 | Cut Server Option (Version 3.0) |
| Roland | ColorCAMM PNC-5000 | Cut Server Option (Version 3.0) |
| Roland | ColorCAMM Pro PC-60 | Cut Server Option (Version 3.0) |
| Roland | ColorCAMM Pro PC-600 | Cut Server Option (Version 3.0) |
| Roland | CS-20 | Cut Server Option (Version 3.0) |
| Roland | CT-304 | Cut Server Option (Version 3.0) |
| Roland | Cutter BN-20 | Cut Server Option (Version 3.0) |
| Roland | CX-12 | Cut Server Option (Version 3.0) |
| Roland | CX-24 | Cut Server Option (Version 3.0) |
| Roland | CX-300 | Cut Server Option (Version 3.0) |
| Roland | CX-400 | Cut Server Option (Version 3.0) |
| Roland | CX-500 | Cut Server Option (Version 3.0) |
| Roland | GR2-540 | Cut Server Option (Version 3.0) |
| Roland | GR2-640 | Cut Server Option (Version 3.0) |
| Roland | GR-420 | Cut Server Option (Version 3.0) |
| Roland | GR-540 | Cut Server Option (Version 3.0) |
| Roland | GR-540-r90 | Cut Server Option (Version 3.0) |
| Roland | GR-640 | Cut Server Option (Version 3.0) |
| Roland | GR-640-r90 | Cut Server Option (Version 3.0) |
| Roland | GS2-24 | Cut Server Option (Version 3.0) |
| Roland | GS-24 | Cut Server Option (Version 3.0) |
| Roland | GX-24 | Cut Server Option (Version 3.0) |
| Roland | GX-300 | Cut Server Option (Version 3.0) |
| Roland | GX-400 | Cut Server Option (Version 3.0) |
| Roland | GX-500 | Cut Server Option (Version 3.0) |
| Roland | GX-640 | Cut Server Option (Version 3.0) |
| Roland | PNC-1000 | Cut Server Option (Version 3.0) |
| Roland | PNC-1000A | Cut Server Option (Version 3.0) |
| Roland | PNC-1050 | Cut Server Option (Version 3.0) |

Fiery proServer and Fiery XF 8.0 supported cutters

| Cutter Brand | Cutter Model | Required Product Option |
|--------------|-------------------------------|---------------------------------|
| Roland | PNC-1100 | Cut Server Option (Version 3.0) |
| Roland | PNC-1200 | Cut Server Option (Version 3.0) |
| Roland | PNC-1210 | Cut Server Option (Version 3.0) |
| Roland | PNC-1410 | Cut Server Option (Version 3.0) |
| Roland | PNC-1510 | Cut Server Option (Version 3.0) |
| Roland | PNC-1600 | Cut Server Option (Version 3.0) |
| Roland | PNC-1800 | Cut Server Option (Version 3.0) |
| Roland | PNC-1850 | Cut Server Option (Version 3.0) |
| Roland | PNC-1860 | Cut Server Option (Version 3.0) |
| Roland | PNC-1900 | Cut Server Option (Version 3.0) |
| Roland | PNC-2000 | Cut Server Option (Version 3.0) |
| Roland | PNC-2100 | Cut Server Option (Version 3.0) |
| Roland | PNC-2200 | Cut Server Option (Version 3.0) |
| Roland | PNC-2300 | Cut Server Option (Version 3.0) |
| Roland | PNC-2500 | Cut Server Option (Version 3.0) |
| Roland | PNC-2700E | Cut Server Option (Version 3.0) |
| Roland | PNC-2700M | Cut Server Option (Version 3.0) |
| Roland | PNC-3000 | Cut Server Option (Version 3.0) |
| Roland | PNC-3100 | Cut Server Option (Version 3.0) |
| Roland | PNC-500 | Cut Server Option (Version 3.0) |
| Roland | PNC-900 | Cut Server Option (Version 3.0) |
| Roland | PNC-910 | Cut Server Option (Version 3.0) |
| Roland | PNC-950 | Cut Server Option (Version 3.0) |
| Roland | PNC-960 | Cut Server Option (Version 3.0) |
| Roland | R-Craft | Cut Server Option (Version 3.0) |
| Roland | RP-11 | Cut Server Option (Version 3.0) |
| Roland | RP-12 | Cut Server Option (Version 3.0) |
| Roland | RP-21 | Cut Server Option (Version 3.0) |
| Roland | RP-22 | Cut Server Option (Version 3.0) |
| Roland | Sep 85 | Cut Server Option (Version 3.0) |
| Roland | SOLJET PRO 4 XR-640 C | Cut Server Option (Version 3.0) |
| Roland | SOLJET PRO 4 XR-640 LkMT | Cut Server Option (Version 3.0) |
| Roland | SOLJET PRO 4 XR-640 LkW | Cut Server Option (Version 3.0) |
| Roland | SOLJET PRO 4 XR-640 OPALSTONE | Cut Server Option (Version 3.0) |
| Roland | SOLJET PRO 4 XR-640 WMT | Cut Server Option (Version 3.0) |
| Roland | SOLJET PRO 4 XR-640 | Cut Server Option (Version 3.0) |
| Roland | SOLJET PRO II EX SC-540 EX | Cut Server Option (Version 3.0) |
| Roland | SOLJET PRO II SC-540 | Cut Server Option (Version 3.0) |
| Roland | SOLJET PRO II V SC-545 EX | Cut Server Option (Version 3.0) |
| Roland | SOLJET PRO III XC-540 | Cut Server Option (Version 3.0) |
| Roland | SOLJET PRO III XC-540MT | Cut Server Option (Version 3.0) |
| Roland | SOLJET SC-500 | Cut Server Option (Version 3.0) |
| Roland | STX-7 | Cut Server Option (Version 3.0) |
| Roland | STX-8 | Cut Server Option (Version 3.0) |
| Roland | SV-12 | Cut Server Option (Version 3.0) |
| Roland | SV-15 | Cut Server Option (Version 3.0) |
| Roland | SV-8 | Cut Server Option (Version 3.0) |
| Roland | SX-12 | Cut Server Option (Version 3.0) |
| Roland | SX-15 | Cut Server Option (Version 3.0) |
| Roland | SX-8 | Cut Server Option (Version 3.0) |
| Roland | TrueVIS AP-640 | Cut Server Option (Version 3.0) |

Fiery proServer and Fiery XF 8.0 supported cutters

| Cutter Brand | Cutter Model | Required Product Option |
|--------------|-------------------------------|---------------------------------|
| Roland | TrueVIS LG-300 UV CMYK | Cut Server Option (Version 3.0) |
| Roland | TrueVIS LG-300 UV CMYKGIPrW | Cut Server Option (Version 3.0) |
| Roland | TrueVIS LG-300 UV CMYKGIW | Cut Server Option (Version 3.0) |
| Roland | TrueVIS LG-300 UV CMYKOrReGIW | Cut Server Option (Version 3.0) |
| Roland | TrueVIS LG-300 UV CMYKOrRePrW | Cut Server Option (Version 3.0) |
| Roland | TrueVIS LG-300 UV CMYKOrReWW | Cut Server Option (Version 3.0) |
| Roland | TrueVIS LG-300 UV CMYKReGIPrW | Cut Server Option (Version 3.0) |
| Roland | TrueVIS LG-540 UV CMYK | Cut Server Option (Version 3.0) |
| Roland | TrueVIS LG-540 UV CMYKGIPrW | Cut Server Option (Version 3.0) |
| Roland | TrueVIS LG-540 UV CMYKGIW | Cut Server Option (Version 3.0) |
| Roland | TrueVIS LG-540 UV CMYKOrReGIW | Cut Server Option (Version 3.0) |
| Roland | TrueVIS LG-540 UV CMYKOrRePrW | Cut Server Option (Version 3.0) |
| Roland | TrueVIS LG-540 UV CMYKOrReWW | Cut Server Option (Version 3.0) |
| Roland | TrueVIS LG-540 UV CMYKReGIPrW | Cut Server Option (Version 3.0) |
| Roland | TrueVIS LG-640 UV CMYK | Cut Server Option (Version 3.0) |
| Roland | TrueVIS LG-640 UV CMYKGIPrW | Cut Server Option (Version 3.0) |
| Roland | TrueVIS LG-640 UV CMYKGIW | Cut Server Option (Version 3.0) |
| Roland | TrueVIS LG-640 UV CMYKOrReGIW | Cut Server Option (Version 3.0) |
| Roland | TrueVIS LG-640 UV CMYKOrRePrW | Cut Server Option (Version 3.0) |
| Roland | TrueVIS LG-640 UV CMYKOrReWW | Cut Server Option (Version 3.0) |
| Roland | TrueVIS LG-640 UV CMYKReGIPrW | Cut Server Option (Version 3.0) |
| Roland | TrueVIS MG-300 UV CMYK | Cut Server Option (Version 3.0) |
| Roland | TrueVIS MG-300 UV CMYKGIW | Cut Server Option (Version 3.0) |
| Roland | TrueVIS MG-300 UV CMYKOrReGIW | Cut Server Option (Version 3.0) |
| Roland | TrueVIS MG-300 UV CMYKOrRePrW | Cut Server Option (Version 3.0) |
| Roland | TrueVIS MG-300 UV CMYKOrReW | Cut Server Option (Version 3.0) |
| Roland | TrueVIS MG-300 UV CMYKPrGIW | Cut Server Option (Version 3.0) |
| Roland | TrueVIS MG-300 UV CMYKRePrGIW | Cut Server Option (Version 3.0) |
| Roland | TrueVIS MG-640 UV CMYK | Cut Server Option (Version 3.0) |
| Roland | TrueVIS MG-640 UV CMYKGIW | Cut Server Option (Version 3.0) |
| Roland | TrueVIS MG-640 UV CMYKOrReGIW | Cut Server Option (Version 3.0) |
| Roland | TrueVIS MG-640 UV CMYKOrRePrW | Cut Server Option (Version 3.0) |
| Roland | TrueVIS MG-640 UV CMYKOrReW | Cut Server Option (Version 3.0) |
| Roland | TrueVIS MG-640 UV CMYKPrGIW | Cut Server Option (Version 3.0) |
| Roland | TrueVIS MG-640 UV CMYKRePrGIW | Cut Server Option (Version 3.0) |
| Roland | TrueVIS SG2-300 | Cut Server Option (Version 3.0) |
| Roland | TrueVIS SG2-540 | Cut Server Option (Version 3.0) |
| Roland | TrueVIS SG2-640 | Cut Server Option (Version 3.0) |
| Roland | TrueVIS SG-300 | Cut Server Option (Version 3.0) |
| Roland | TrueVIS SG3-300 | Cut Server Option (Version 3.0) |
| Roland | TrueVIS SG3-540 | Cut Server Option (Version 3.0) |
| Roland | TrueVIS SG3-640 | Cut Server Option (Version 3.0) |
| Roland | TrueVIS SG-540 | Cut Server Option (Version 3.0) |
| Roland | TrueVIS UG-641 UV CMYK | Cut Server Option (Version 3.0) |
| Roland | TrueVIS UG-641 UV CMYKGIW | Cut Server Option (Version 3.0) |
| Roland | TrueVIS UG-642 UV CMYK | Cut Server Option (Version 3.0) |
| Roland | TrueVIS UG-642 UV CMYKGIW | Cut Server Option (Version 3.0) |
| Roland | TrueVIS VF2-640 TE2 | Cut Server Option (Version 3.0) |
| Roland | TrueVIS VF2-640 TR2 | Cut Server Option (Version 3.0) |
| Roland | TrueVIS VG2-540 | Cut Server Option (Version 3.0) |
| Roland | TrueVIS VG2-640 | Cut Server Option (Version 3.0) |

Fiery proServer and Fiery XF 8.0 supported cutters

| Cutter Brand | Cutter Model | Required Product Option |
|--------------|-----------------------------------|---------------------------------|
| Roland | TrueVIS VG3-300 | Cut Server Option (Version 3.0) |
| Roland | TrueVIS VG3-540 | Cut Server Option (Version 3.0) |
| Roland | TrueVIS VG3-640 | Cut Server Option (Version 3.0) |
| Roland | TrueVIS VG-540 | Cut Server Option (Version 3.0) |
| Roland | TrueVIS VG-640 | Cut Server Option (Version 3.0) |
| Roland | VersaCAMM SP-300 | Cut Server Option (Version 3.0) |
| Roland | VersaCAMM SP-300i | Cut Server Option (Version 3.0) |
| Roland | VersaCAMM SP-300V | Cut Server Option (Version 3.0) |
| Roland | VersaCAMM SP-540i | Cut Server Option (Version 3.0) |
| Roland | VersaCAMM SP-540V | Cut Server Option (Version 3.0) |
| Roland | VersaCAMM VP-300 | Cut Server Option (Version 3.0) |
| Roland | VersaCAMM VP-300i | Cut Server Option (Version 3.0) |
| Roland | VersaCAMM VP-540 | Cut Server Option (Version 3.0) |
| Roland | VersaCAMM VP-540i | Cut Server Option (Version 3.0) |
| Roland | VersaCAMM VS-300 | Cut Server Option (Version 3.0) |
| Roland | VersaCAMM VS-300i | Cut Server Option (Version 3.0) |
| Roland | VersaCAMM VS-420 | Cut Server Option (Version 3.0) |
| Roland | VersaCAMM VS-540 | Cut Server Option (Version 3.0) |
| Roland | VersaCAMM VS-540i | Cut Server Option (Version 3.0) |
| Roland | VersaCAMM VS-640 | Cut Server Option (Version 3.0) |
| Roland | VersaCAMM VS-640i | Cut Server Option (Version 3.0) |
| Roland | VersaOBJECT CO-300 UV CMYK | Cut Server Option (Version 3.0) |
| Roland | VersaOBJECT CO-300 UV CMYKGIW | Cut Server Option (Version 3.0) |
| Roland | VersaOBJECT CO-300 UV CMYKOrReGI | Cut Server Option (Version 3.0) |
| Roland | VersaOBJECT CO-300 UV CMYKOrRePr | Cut Server Option (Version 3.0) |
| Roland | VersaOBJECT CO-300 UV CMYKOrReW | Cut Server Option (Version 3.0) |
| Roland | VersaOBJECT CO-300 UV CMYKPrGIW | Cut Server Option (Version 3.0) |
| Roland | VersaOBJECT CO-300 UV CMYKRePrGIW | Cut Server Option (Version 3.0) |
| Roland | VersaOBJECT CO-640 UV CMYK | Cut Server Option (Version 3.0) |
| Roland | VersaOBJECT CO-640 UV CMYKGIW | Cut Server Option (Version 3.0) |
| Roland | VersaOBJECT CO-640 UV CMYKOrReGI | Cut Server Option (Version 3.0) |
| Roland | VersaOBJECT CO-640 UV CMYKOrRePr | Cut Server Option (Version 3.0) |
| Roland | VersaOBJECT CO-640 UV CMYKOrReW | Cut Server Option (Version 3.0) |
| Roland | VersaOBJECT CO-640 UV CMYKPrGIW | Cut Server Option (Version 3.0) |
| Roland | VersaOBJECT CO-640 UV CMYKRePrGIW | Cut Server Option (Version 3.0) |
| Roland | VersaStudio BN-20 ECO-SOL MAX3 | Cut Server Option (Version 3.0) |
| Roland | VersaStudio BN-20 | Cut Server Option (Version 3.0) |
| Roland | VersaStudio BN-20A | Cut Server Option (Version 3.0) |
| Roland | VersaStudio BN-20D | Cut Server Option (Version 3.0) |
| Roland | VersaStudio BN2-20 | Cut Server Option (Version 3.0) |
| Roland | VersaStudio BN2-20A | Cut Server Option (Version 3.0) |
| Roland | VersaUV LEC2-300 CMYK | Cut Server Option (Version 3.0) |
| Roland | VersaUV LEC2-300 CMYKGIW | Cut Server Option (Version 3.0) |
| Roland | VersaUV LEC2-330 CMYK | Cut Server Option (Version 3.0) |
| Roland | VersaUV LEC2-330 CMYKGIWhWh | Cut Server Option (Version 3.0) |
| Roland | VersaUV LEC2-330 CMYKOrRGIWh | Cut Server Option (Version 3.0) |
| Roland | VersaUV LEC2-330 CMYKOrRPrWh | Cut Server Option (Version 3.0) |
| Roland | VersaUV LEC2-330 CMYKOrRWhWh | Cut Server Option (Version 3.0) |
| Roland | VersaUV LEC2-330 CMYKPrGIWhWh | Cut Server Option (Version 3.0) |
| Roland | VersaUV LEC2-330 CMYKRePrGIW | Cut Server Option (Version 3.0) |
| Roland | VersaUV LEC2-640 CMYK | Cut Server Option (Version 3.0) |

Fiery proServer and Fiery XF 8.0 supported cutters

| Cutter Brand | Cutter Model | Required Product Option |
|--------------|-------------------------------|---------------------------------|
| Roland | VersaUV LEC2-640 CMYKGIGIWhWh | Cut Server Option (Version 3.0) |
| Roland | VersaUV LEC2-640 CMYKOrRGIWh | Cut Server Option (Version 3.0) |
| Roland | VersaUV LEC2-640 CMYKOrRPrWh | Cut Server Option (Version 3.0) |
| Roland | VersaUV LEC2-640 CMYKOrRWhWh | Cut Server Option (Version 3.0) |
| Roland | VersaUV LEC2-640 CMYKPrGIWhWh | Cut Server Option (Version 3.0) |
| Roland | VersaUV LEC2-640 CMYKRePrGIW | Cut Server Option (Version 3.0) |
| Roland | VersaUV LEC-300 | Cut Server Option (Version 3.0) |
| Roland | VersaUV LEC-330 | Cut Server Option (Version 3.0) |
| Roland | VersaUV LEC-540 | Cut Server Option (Version 3.0) |
| Roland | VersaUV LEJ-640 | Cut Server Option (Version 3.0) |
| Saga | SAGA-1350I | Cut Server Option (Version 3.0) |
| Saga | SAGA-1350II | Cut Server Option (Version 3.0) |
| Saga | SAGA-1600I | Cut Server Option (Version 3.0) |
| Saga | SAGA-1600II | Cut Server Option (Version 3.0) |
| Saga | SAGA-1750I | Cut Server Option (Version 3.0) |
| Saga | SAGA-1750II | Cut Server Option (Version 3.0) |
| Saga | SAGA-2100I | Cut Server Option (Version 3.0) |
| Saga | SAGA-2100II | Cut Server Option (Version 3.0) |
| Saga | SAGA-2600I | Cut Server Option (Version 3.0) |
| Saga | SAGA-2600II | Cut Server Option (Version 3.0) |
| Saga | SAGA-360I | Cut Server Option (Version 3.0) |
| Saga | SAGA-360II | Cut Server Option (Version 3.0) |
| Saga | SAGA-490II | Cut Server Option (Version 3.0) |
| Saga | SAGA-550I | Cut Server Option (Version 3.0) |
| Saga | SAGA-550II | Cut Server Option (Version 3.0) |
| Saga | SAGA-720I | Cut Server Option (Version 3.0) |
| Saga | SAGA-720II | Cut Server Option (Version 3.0) |
| Saga | SAGA-AutoMark | Cut Server Option (Version 3.0) |
| Saga | SAGA-AutoMark-AML | Cut Server Option (Version 3.0) |
| Saga | SAGA-AutoMark-AMU | Cut Server Option (Version 3.0) |
| SECABO | SECABO C120III | Cut Server Option (Version 3.0) |
| SECABO | SECABO C30III | Cut Server Option (Version 3.0) |
| SECABO | SECABO C60III | Cut Server Option (Version 3.0) |
| SECABO | SECABO-C120IV | Cut Server Option (Version 3.0) |
| SECABO | SECABO-C160IV | Cut Server Option (Version 3.0) |
| SECABO | SECABO-C30IV | Cut Server Option (Version 3.0) |
| SECABO | SECABO-C60IV | Cut Server Option (Version 3.0) |
| SECABO | SECABO-DTF Multicut PRO | Cut Server Option (Version 3.0) |
| SECABO | SECABO-S120 | Cut Server Option (Version 3.0) |
| SECABO | SECABO-S160 | Cut Server Option (Version 3.0) |
| SECABO | SECABO-S60 | Cut Server Option (Version 3.0) |
| SeikiTech | SK1100T | Cut Server Option (Version 3.0) |
| SeikiTech | SK1350H | Cut Server Option (Version 3.0) |
| SeikiTech | SK1350T | Cut Server Option (Version 3.0) |
| SeikiTech | SK375T | Cut Server Option (Version 3.0) |
| SeikiTech | SK720H | Cut Server Option (Version 3.0) |
| SeikiTech | SK720T | Cut Server Option (Version 3.0) |
| SeikiTech | SK850H | Cut Server Option (Version 3.0) |
| SeikiTech | SK870T | Cut Server Option (Version 3.0) |
| Servo Cutter | CC-AML | Cut Server Option (Version 3.0) |
| Servo Cutter | Servo-AML | Cut Server Option (Version 3.0) |

Fiery proServer and Fiery XF 8.0 supported cutters

| Cutter Brand | Cutter Model | Required Product Option |
|-------------------|------------------|---------------------------------|
| Servo Cutter | TS-AML | Cut Server Option (Version 3.0) |
| SID Signs | SID1000-108 | Cut Server Option (Version 3.0) |
| SID Signs | SID1000-120 | Cut Server Option (Version 3.0) |
| SID Signs | SID1000-30 | Cut Server Option (Version 3.0) |
| SID Signs | SID1000-60 | Cut Server Option (Version 3.0) |
| SID Signs | SID1000-90 | Cut Server Option (Version 3.0) |
| SID Signs | SID2000-108 USB | Cut Server Option (Version 3.0) |
| SID Signs | SID2000-108 | Cut Server Option (Version 3.0) |
| SID Signs | SID2000-120 USB | Cut Server Option (Version 3.0) |
| SID Signs | SID2000-120 | Cut Server Option (Version 3.0) |
| SID Signs | SID2000-60 USB | Cut Server Option (Version 3.0) |
| SID Signs | SID2000-60 | Cut Server Option (Version 3.0) |
| SID Signs | SID2000-90 USB | Cut Server Option (Version 3.0) |
| SID Signs | SID2000-90 | Cut Server Option (Version 3.0) |
| Sign World | AutoMark | Cut Server Option (Version 3.0) |
| Sign World | C12 | Cut Server Option (Version 3.0) |
| Sign World | C24 | Cut Server Option (Version 3.0) |
| Sign World | C30 | Cut Server Option (Version 3.0) |
| Sign World | C36 | Cut Server Option (Version 3.0) |
| Sign World | C48 | Cut Server Option (Version 3.0) |
| Sign World | C60 PRO AutoMark | Cut Server Option (Version 3.0) |
| Sign World | C60 PRO | Cut Server Option (Version 3.0) |
| Sign World | FLAT BED | Cut Server Option (Version 3.0) |
| Sign World | K14 AutoMark | Cut Server Option (Version 3.0) |
| Sign World | K14 | Cut Server Option (Version 3.0) |
| Sign World | S Pro-AML | Cut Server Option (Version 3.0) |
| Sign World | S12 | Cut Server Option (Version 3.0) |
| Sign World | S12-USB | Cut Server Option (Version 3.0) |
| Sign World | S24 Pro | Cut Server Option (Version 3.0) |
| Sign World | S24 | Cut Server Option (Version 3.0) |
| Sign World | S24-USB | Cut Server Option (Version 3.0) |
| Sign World | S30 | Cut Server Option (Version 3.0) |
| Sign World | S30-USB | Cut Server Option (Version 3.0) |
| Sign World | S36 | Cut Server Option (Version 3.0) |
| Sign World | S36-USB | Cut Server Option (Version 3.0) |
| Sign World | S48 Pro | Cut Server Option (Version 3.0) |
| Sign World | S48 | Cut Server Option (Version 3.0) |
| Sign World | S48-USB | Cut Server Option (Version 3.0) |
| Sign World | S60 Pro | Cut Server Option (Version 3.0) |
| Sign World | S60 | Cut Server Option (Version 3.0) |
| Sign World | S60-USB | Cut Server Option (Version 3.0) |
| SignKey SKAseries | SKA-1100 | Cut Server Option (Version 3.0) |
| SignKey SKAseries | SKA-1350 | Cut Server Option (Version 3.0) |
| SignKey SKAseries | SKA-1350H | Cut Server Option (Version 3.0) |
| SignKey SKAseries | SKA-720 | Cut Server Option (Version 3.0) |
| SignKey SKAseries | SKA-720H | Cut Server Option (Version 3.0) |
| SignKey SKAseries | SKA-850 | Cut Server Option (Version 3.0) |
| SignKey SKseries | SK-1100 | Cut Server Option (Version 3.0) |
| SignKey SKseries | SK-1350 | Cut Server Option (Version 3.0) |
| SignKey SKseries | SK-720 | Cut Server Option (Version 3.0) |
| SignKey SKseries | SK-850 | Cut Server Option (Version 3.0) |

Fiery proServer and Fiery XF 8.0 supported cutters

| Cutter Brand | Cutter Model | Required Product Option |
|--------------------|--------------------------|---------------------------------|
| Silhouette | Cameo | Cut Server Option (Version 3.0) |
| Silhouette | Cameo3 | Cut Server Option (Version 3.0) |
| Sinajet | Sinajet-AML | Cut Server Option (Version 3.0) |
| Sinajet | Sinajet-cutter | Cut Server Option (Version 3.0) |
| Sky | A3 MAX-AML | Cut Server Option (Version 3.0) |
| Sky | C12-AML | Cut Server Option (Version 3.0) |
| Sky | C16-AML | Cut Server Option (Version 3.0) |
| Sky | C24-AML | Cut Server Option (Version 3.0) |
| Sky | D16-AML | Cut Server Option (Version 3.0) |
| Sky | D24-AML | Cut Server Option (Version 3.0) |
| Sky | D30-AML | Cut Server Option (Version 3.0) |
| Sky | D48-AML | Cut Server Option (Version 3.0) |
| Sky | D60-AML | Cut Server Option (Version 3.0) |
| Sky | F4560-AML | Cut Server Option (Version 3.0) |
| Sky | F6090-AML | Cut Server Option (Version 3.0) |
| Sky | F9012-AML | Cut Server Option (Version 3.0) |
| Sky | V24-AML | Cut Server Option (Version 3.0) |
| Sky | V30-AML | Cut Server Option (Version 3.0) |
| Sky | V48-AML | Cut Server Option (Version 3.0) |
| Sky | V60-AML | Cut Server Option (Version 3.0) |
| SolventJET Systems | SolventJET I CJ-500S | Cut Server Option (Version 3.0) |
| SolventJET Systems | SolventJET II SC-540S | Cut Server Option (Version 3.0) |
| SolventJET Systems | SolventJET II SC-545 EXS | Cut Server Option (Version 3.0) |
| STM Robotics | STM1351 | Cut Server Option (Version 3.0) |
| STM Robotics | STM24 | Cut Server Option (Version 3.0) |
| STM Robotics | STM48 | Cut Server Option (Version 3.0) |
| STM Robotics | STM721 | Cut Server Option (Version 3.0) |
| SUCHI | SC-1300 | Cut Server Option (Version 3.0) |
| SUCHI | SC-1350E | Cut Server Option (Version 3.0) |
| SUCHI | SC-1350S | Cut Server Option (Version 3.0) |
| SUCHI | SC-730 | Cut Server Option (Version 3.0) |
| SUCHI | SC-730E | Cut Server Option (Version 3.0) |
| SUCHI | SC-730S | Cut Server Option (Version 3.0) |
| SUCHI | SUCHI-AML | Cut Server Option (Version 3.0) |
| SUCHI | YX-1300L | Cut Server Option (Version 3.0) |
| SUCHI | YX-24L | Cut Server Option (Version 3.0) |
| SUCHI | YX-48L | Cut Server Option (Version 3.0) |
| SUCHI | YX-730L | Cut Server Option (Version 3.0) |
| Summa | D SERIES S2 120 | Cut Server Option (Version 3.0) |
| Summa | D SERIES S2 140 | Cut Server Option (Version 3.0) |
| Summa | D SERIES S2 160 | Cut Server Option (Version 3.0) |
| Summa | D SERIES S2 75 | Cut Server Option (Version 3.0) |
| Summa | D SERIES S3 120 | Cut Server Option (Version 3.0) |
| Summa | D SERIES S3 140 | Cut Server Option (Version 3.0) |
| Summa | D SERIES S3 160 | Cut Server Option (Version 3.0) |
| Summa | D SERIES S3 75 | Cut Server Option (Version 3.0) |
| Summa | D1000 | Cut Server Option (Version 3.0) |
| Summa | D1010 PRO SL | Cut Server Option (Version 3.0) |
| Summa | D1010 PRO | Cut Server Option (Version 3.0) |
| Summa | D1010 | Cut Server Option (Version 3.0) |
| Summa | D1020 | Cut Server Option (Version 3.0) |

Fiery proServer and Fiery XF 8.0 supported cutters

| Cutter Brand | Cutter Model | Required Product Option |
|--------------|--------------|---------------------------------|
| Summa | D120 SE | Cut Server Option (Version 3.0) |
| Summa | D120 | Cut Server Option (Version 3.0) |
| Summa | D120R | Cut Server Option (Version 3.0) |
| Summa | D1220 | Cut Server Option (Version 3.0) |
| Summa | D1300 PRO | Cut Server Option (Version 3.0) |
| Summa | D1300 | Cut Server Option (Version 3.0) |
| Summa | D140 | Cut Server Option (Version 3.0) |
| Summa | D1400 PRO SL | Cut Server Option (Version 3.0) |
| Summa | D1400 PRO | Cut Server Option (Version 3.0) |
| Summa | D140FX | Cut Server Option (Version 3.0) |
| Summa | D140R | Cut Server Option (Version 3.0) |
| Summa | D140RL | Cut Server Option (Version 3.0) |
| Summa | D15 | Cut Server Option (Version 3.0) |
| Summa | D160 SE | Cut Server Option (Version 3.0) |
| Summa | D160 | Cut Server Option (Version 3.0) |
| Summa | D1600 PRO SL | Cut Server Option (Version 3.0) |
| Summa | D160R | Cut Server Option (Version 3.0) |
| Summa | D500 | Cut Server Option (Version 3.0) |
| Summa | D520 | Cut Server Option (Version 3.0) |
| Summa | D60 SE | Cut Server Option (Version 3.0) |
| Summa | D60 | Cut Server Option (Version 3.0) |
| Summa | D60/U | Cut Server Option (Version 3.0) |
| Summa | D60R | Cut Server Option (Version 3.0) |
| Summa | D610 PRO | Cut Server Option (Version 3.0) |
| Summa | D610 | Cut Server Option (Version 3.0) |
| Summa | D620 | Cut Server Option (Version 3.0) |
| Summa | D750 PRO SL | Cut Server Option (Version 3.0) |
| Summa | D750 PRO | Cut Server Option (Version 3.0) |
| Summa | D750 | Cut Server Option (Version 3.0) |
| Summa | D75R | Cut Server Option (Version 3.0) |
| Summa | D760 | Cut Server Option (Version 3.0) |
| Summa | DC3 | Cut Server Option (Version 3.0) |
| Summa | DC4 | Cut Server Option (Version 3.0) |
| Summa | DC4sx | Cut Server Option (Version 3.0) |
| Summa | DC5 | Cut Server Option (Version 3.0) |
| Summa | DC5sx | Cut Server Option (Version 3.0) |
| Summa | Eclipse 24 | Cut Server Option (Version 3.0) |
| Summa | Eclipse 48 | Cut Server Option (Version 3.0) |
| Summa | S1 D120 | Cut Server Option (Version 3.0) |
| Summa | S1 D140 | Cut Server Option (Version 3.0) |
| Summa | S1 D140FX | Cut Server Option (Version 3.0) |
| Summa | S1 D160 | Cut Server Option (Version 3.0) |
| Summa | S1 D60 | Cut Server Option (Version 3.0) |
| Summa | S1 D75 | Cut Server Option (Version 3.0) |
| Summa | S120 D | Cut Server Option (Version 3.0) |
| Summa | S120 T | Cut Server Option (Version 3.0) |
| Summa | S140 D | Cut Server Option (Version 3.0) |
| Summa | S140 T | Cut Server Option (Version 3.0) |
| Summa | S160 D | Cut Server Option (Version 3.0) |
| Summa | S160 T | Cut Server Option (Version 3.0) |
| Summa | S75 D | Cut Server Option (Version 3.0) |

Fiery proServer and Fiery XF 8.0 supported cutters

| Cutter Brand | Cutter Model | Required Product Option |
|--------------|------------------------|---------------------------------|
| Summa | S75 T | Cut Server Option (Version 3.0) |
| Summa | SummaPaint PC1500 | Cut Server Option (Version 3.0) |
| Summa | T SERIES S2 120 | Cut Server Option (Version 3.0) |
| Summa | T SERIES S2 140 | Cut Server Option (Version 3.0) |
| Summa | T SERIES S2 160 | Cut Server Option (Version 3.0) |
| Summa | T SERIES S2 75 | Cut Server Option (Version 3.0) |
| Summa | T SERIES S3 120 | Cut Server Option (Version 3.0) |
| Summa | T SERIES S3 140 | Cut Server Option (Version 3.0) |
| Summa | T SERIES S3 160 | Cut Server Option (Version 3.0) |
| Summa | T SERIES S3 75 | Cut Server Option (Version 3.0) |
| Summa | T SERIES S3C 160 | Cut Server Option (Version 3.0) |
| Summa | T SERIES S3C 75 | Cut Server Option (Version 3.0) |
| Summa | T+1010 | Cut Server Option (Version 3.0) |
| Summa | T1000 | Cut Server Option (Version 3.0) |
| Summa | T1010 PRO SL | Cut Server Option (Version 3.0) |
| Summa | T1010 PRO | Cut Server Option (Version 3.0) |
| Summa | T1010 | Cut Server Option (Version 3.0) |
| Summa | T1010A | Cut Server Option (Version 3.0) |
| Summa | T1300 PRO | Cut Server Option (Version 3.0) |
| Summa | T1300 | Cut Server Option (Version 3.0) |
| Summa | T1300A | Cut Server Option (Version 3.0) |
| Summa | T140 | Cut Server Option (Version 3.0) |
| Summa | T1400 PRO SL | Cut Server Option (Version 3.0) |
| Summa | T1400 PRO | Cut Server Option (Version 3.0) |
| Summa | T1600 PRO SL | Cut Server Option (Version 3.0) |
| Summa | T610 PRO | Cut Server Option (Version 3.0) |
| Summa | T610 | Cut Server Option (Version 3.0) |
| Summa | T750 PRO SL | Cut Server Option (Version 3.0) |
| Summa | T750 PRO | Cut Server Option (Version 3.0) |
| Summa | T750 | Cut Server Option (Version 3.0) |
| Summa | F-Series | Cut Marks Option |
| Summa | F-Series (GoProduce) | Cut Marks Option |
| Summa | L-Series | Cut Marks Option |
| TechJET Pro | TechJET Pro 6050KF | Cut Server Option (Version 3.0) |
| Technoplot | Creation CT1200 | Cut Server Option (Version 3.0) |
| Technoplot | Creation CT630 | Cut Server Option (Version 3.0) |
| Technoplot | Millennium T1600 Pro | Cut Server Option (Version 3.0) |
| Technoplot | Millennium T610 Pro | Cut Server Option (Version 3.0) |
| Technoplot | Millennium T750 Pro | Cut Server Option (Version 3.0) |
| Technoplot | SolventJet-Basic SP300 | Cut Server Option (Version 3.0) |
| Technoplot | SolventJet-Basic SP540 | Cut Server Option (Version 3.0) |
| Technoplot | SolventJet-Combi 545 | Cut Server Option (Version 3.0) |
| Technoplot | SolventJet-Pro 545 | Cut Server Option (Version 3.0) |
| Teneth | T-12L | Cut Server Option (Version 3.0) |
| Teneth | T-24L | Cut Server Option (Version 3.0) |
| Teneth | T-42L | Cut Server Option (Version 3.0) |
| Teneth | T-48L | Cut Server Option (Version 3.0) |
| Teneth | T-59L | Cut Server Option (Version 3.0) |
| Teneth | TENETH-AML | Cut Server Option (Version 3.0) |
| Teneth | TH-1180L | Cut Server Option (Version 3.0) |
| Teneth | TH-1300L | Cut Server Option (Version 3.0) |

Fiery proServer and Fiery XF 8.0 supported cutters

| Cutter Brand | Cutter Model | Required Product Option |
|--------------|-----------------------|---------------------------------|
| Teneth | TH-1500L | Cut Server Option (Version 3.0) |
| Teneth | TH-330L | Cut Server Option (Version 3.0) |
| Teneth | TH-740L | Cut Server Option (Version 3.0) |
| Teneth | TS-1500L | Cut Server Option (Version 3.0) |
| Teneth | TS-59L | Cut Server Option (Version 3.0) |
| TOPT | G125-AML | Cut Server Option (Version 3.0) |
| TOPT | G165-AML | Cut Server Option (Version 3.0) |
| TOPT | G45-AML | Cut Server Option (Version 3.0) |
| TOPT | G65-AML | Cut Server Option (Version 3.0) |
| TOTENW | EST1350Q-AML | Cut Server Option (Version 3.0) |
| TOTENW | EST1350SQ-AML | Cut Server Option (Version 3.0) |
| TOTENW | EST1850Q-AML | Cut Server Option (Version 3.0) |
| TOTENW | EST1850SQ-AML | Cut Server Option (Version 3.0) |
| TOTENW | EST850Q-AML | Cut Server Option (Version 3.0) |
| TOTENW | EST850SQ-AML | Cut Server Option (Version 3.0) |
| TOTENW | T33Q-AML | Cut Server Option (Version 3.0) |
| TOTENW | T33SQ-AML | Cut Server Option (Version 3.0) |
| TOTENW | T53Q-AML | Cut Server Option (Version 3.0) |
| TOTENW | T53SQ-AML | Cut Server Option (Version 3.0) |
| TOTENW | T73Q-AML | Cut Server Option (Version 3.0) |
| TOTENW | T73SQ-AML | Cut Server Option (Version 3.0) |
| TPS | X3-AML | Cut Server Option (Version 3.0) |
| TPS | X5-AML | Cut Server Option (Version 3.0) |
| TPS | X7-AML | Cut Server Option (Version 3.0) |
| TPS | X8-AML | Cut Server Option (Version 3.0) |
| TPS | X9-AML | Cut Server Option (Version 3.0) |
| Trotec | SP500 | Cut Marks Option |
| Trotec | SP1500 | Cut Marks Option |
| Trotec | SP2000 | Cut Marks Option |
| Trotec | SP3000 | Cut Marks Option |
| Uniform | Cadet Plus | Cut Server Option (Version 3.0) |
| Uniform | Cadet | Cut Server Option (Version 3.0) |
| Uniform | Coldstream SP-1400C | Cut Server Option (Version 3.0) |
| Uniform | Coldstream S-PC 54 | Cut Server Option (Version 3.0) |
| Uniform | Grenadier SP-1400C | Cut Server Option (Version 3.0) |
| Upstar | S-600 | Cut Server Option (Version 3.0) |
| Upstar | SRC-1200 | Cut Server Option (Version 3.0) |
| Upstar | SRC-1448 | Cut Server Option (Version 3.0) |
| Upstar | SRC-600 | Cut Server Option (Version 3.0) |
| Upstar | SRC-738 | Cut Server Option (Version 3.0) |
| USCutter | Copam CP-2500 | Cut Server Option (Version 3.0) |
| USCutter | Copam CP-3000 | Cut Server Option (Version 3.0) |
| USCutter | Copam CP-3500 | Cut Server Option (Version 3.0) |
| USCutter | Copam CP-4000 | Cut Server Option (Version 3.0) |
| USCutter | Copam CP-4500 | Cut Server Option (Version 3.0) |
| USCutter | Creation PCUT CTN1200 | Cut Server Option (Version 3.0) |
| USCutter | Creation PCUT CTN630 | Cut Server Option (Version 3.0) |
| USCutter | Creation PCUT CTN900 | Cut Server Option (Version 3.0) |
| USCutter | Laserpoint 24 | Cut Server Option (Version 3.0) |
| USCutter | Laserpoint 3 ARMS 53 | Cut Server Option (Version 3.0) |
| USCutter | Laserpoint 36 | Cut Server Option (Version 3.0) |

Fiery proServer and Fiery XF 8.0 supported cutters

| Cutter Brand | Cutter Model | Required Product Option |
|--------------|----------------------------|---------------------------------|
| USCutter | Laserpoint 48 | Cut Server Option (Version 3.0) |
| USCutter | MH-1351 | Cut Server Option (Version 3.0) |
| USCutter | MH-365 | Cut Server Option (Version 3.0) |
| USCutter | MH-721 | Cut Server Option (Version 3.0) |
| USCutter | MH-871 | Cut Server Option (Version 3.0) |
| USCutter | TITAN 15 | Cut Server Option (Version 3.0) |
| USCutter | TITAN 28 | Cut Server Option (Version 3.0) |
| USCutter | TITAN 53 | Cut Server Option (Version 3.0) |
| USCutter | TITAN2 28 | Cut Server Option (Version 3.0) |
| USCutter | TITAN2 53 | Cut Server Option (Version 3.0) |
| USCutter | TITAN2 68 | Cut Server Option (Version 3.0) |
| USCutter | TITAN3 28 | Cut Server Option (Version 3.0) |
| USCutter | TITAN3 53 | Cut Server Option (Version 3.0) |
| USCutter | TITAN3 68 | Cut Server Option (Version 3.0) |
| USCutter | US Cutter ZenCut Black 24" | Cut Server Option (Version 3.0) |
| USCutter | US Cutter ZenCut Black 40" | Cut Server Option (Version 3.0) |
| USCutter | US Cutter ZenCut Black 52" | Cut Server Option (Version 3.0) |
| USCutter | US Cutter ZenCut Black 72" | Cut Server Option (Version 3.0) |
| USCutter | US Cutter ZenCut Green 24" | Cut Server Option (Version 3.0) |
| USCutter | US Cutter ZenCut Green 52" | Cut Server Option (Version 3.0) |
| Valiani | Valiani vxml | Cut Server Option (Version 3.0) |
| Vicsign | HDX Series-AML | Cut Server Option (Version 3.0) |
| Vicsign | HL1080 | Cut Server Option (Version 3.0) |
| Vicsign | HL1200 | Cut Server Option (Version 3.0) |
| Vicsign | HL1600 | Cut Server Option (Version 3.0) |
| Vicsign | HL330 | Cut Server Option (Version 3.0) |
| Vicsign | HL630 | Cut Server Option (Version 3.0) |
| Vicsign | HL900 | Cut Server Option (Version 3.0) |
| Vicsign | HN1080 | Cut Server Option (Version 3.0) |
| Vicsign | HN1200 | Cut Server Option (Version 3.0) |
| Vicsign | HN1600 | Cut Server Option (Version 3.0) |
| Vicsign | HN330 | Cut Server Option (Version 3.0) |
| Vicsign | HN630 | Cut Server Option (Version 3.0) |
| Vicsign | HN900 | Cut Server Option (Version 3.0) |
| Vicsign | HS1080 | Cut Server Option (Version 3.0) |
| Vicsign | HS1200 | Cut Server Option (Version 3.0) |
| Vicsign | HS1600 | Cut Server Option (Version 3.0) |
| Vicsign | HS330 | Cut Server Option (Version 3.0) |
| Vicsign | HS630 | Cut Server Option (Version 3.0) |
| Vicsign | HS900 | Cut Server Option (Version 3.0) |
| Vicsign | HSF1080-AML | Cut Server Option (Version 3.0) |
| Vicsign | HSF1200-AML | Cut Server Option (Version 3.0) |
| Vicsign | HSF1600-AML | Cut Server Option (Version 3.0) |
| Vicsign | HSF630-AML | Cut Server Option (Version 3.0) |
| Vicsign | HSQ1080-AML | Cut Server Option (Version 3.0) |
| Vicsign | HSQ1200-AML | Cut Server Option (Version 3.0) |
| Vicsign | HSQ1600-AML | Cut Server Option (Version 3.0) |
| Vicsign | HSQ330-AML | Cut Server Option (Version 3.0) |
| Vicsign | HSQ630-AML | Cut Server Option (Version 3.0) |
| Vicsign | HSQ900-AML | Cut Server Option (Version 3.0) |
| Vicsign | HW1080 | Cut Server Option (Version 3.0) |

Fiery proServer and Fiery XF 8.0 supported cutters

| Cutter Brand | Cutter Model | Required Product Option |
|---------------|----------------|---------------------------------|
| Vicsign | HW1200 | Cut Server Option (Version 3.0) |
| Vicsign | HW1600 | Cut Server Option (Version 3.0) |
| Vicsign | HW330 | Cut Server Option (Version 3.0) |
| Vicsign | HW630 | Cut Server Option (Version 3.0) |
| Vicsign | HW900 | Cut Server Option (Version 3.0) |
| Vicsign | HWF1080-AML | Cut Server Option (Version 3.0) |
| Vicsign | HWF1200-AML | Cut Server Option (Version 3.0) |
| Vicsign | HWF1600-AML | Cut Server Option (Version 3.0) |
| Vicsign | HWF330-AML | Cut Server Option (Version 3.0) |
| Vicsign | HWF630-AML | Cut Server Option (Version 3.0) |
| Vicsign | HWQ1080-AML | Cut Server Option (Version 3.0) |
| Vicsign | HWQ1200-AML | Cut Server Option (Version 3.0) |
| Vicsign | HWQ1600-AML | Cut Server Option (Version 3.0) |
| Vicsign | HWQ330-AML | Cut Server Option (Version 3.0) |
| Vicsign | HWQ630-AML | Cut Server Option (Version 3.0) |
| Vicsign | HWQ900-AML | Cut Server Option (Version 3.0) |
| Vicsign | Q3-AML | Cut Server Option (Version 3.0) |
| Vicsign | Q4-AML | Cut Server Option (Version 3.0) |
| Vinyl Express | Enduracut + | Cut Server Option (Version 3.0) |
| Vinyl Express | EnduraCUT 2 | Cut Server Option (Version 3.0) |
| Vinyl Express | EnduraCUT 2S | Cut Server Option (Version 3.0) |
| Vinyl Express | EnduraCUT 3 | Cut Server Option (Version 3.0) |
| Vinyl Express | Enduracut LX | Cut Server Option (Version 3.0) |
| Vinyl Express | Enduracut | Cut Server Option (Version 3.0) |
| Vinyl Express | GRC-101S | Cut Server Option (Version 3.0) |
| Vinyl Express | GRC-132S | Cut Server Option (Version 3.0) |
| Vinyl Express | GRC-50 | Cut Server Option (Version 3.0) |
| Vinyl Express | GRC-60 | Cut Server Option (Version 3.0) |
| Vinyl Express | GRC-61 | Cut Server Option (Version 3.0) |
| Vinyl Express | GRC-76S | Cut Server Option (Version 3.0) |
| Vinyl Express | Jaguar JG-101S | Cut Server Option (Version 3.0) |
| Vinyl Express | Jaguar JG-132S | Cut Server Option (Version 3.0) |
| Vinyl Express | Jaguar JG-61 | Cut Server Option (Version 3.0) |
| Vinyl Express | Jaguar JG-76S | Cut Server Option (Version 3.0) |
| Vinyl Express | Lynx S-132 | Cut Server Option (Version 3.0) |
| Vinyl Express | Lynx S-30 | Cut Server Option (Version 3.0) |
| Vinyl Express | Lynx S-60 | Cut Server Option (Version 3.0) |
| Vinyl Express | M16 | Cut Server Option (Version 3.0) |
| Vinyl Express | M24 | Cut Server Option (Version 3.0) |
| Vinyl Express | Q100 | Cut Server Option (Version 3.0) |
| Vinyl Express | Q130 | Cut Server Option (Version 3.0) |
| Vinyl Express | Q160 | Cut Server Option (Version 3.0) |
| Vinyl Express | Q24 | Cut Server Option (Version 3.0) |
| Vinyl Express | Q30 Gen3 | Cut Server Option (Version 3.0) |
| Vinyl Express | Q30 | Cut Server Option (Version 3.0) |
| Vinyl Express | Q42 Gen3 | Cut Server Option (Version 3.0) |
| Vinyl Express | Q42 | Cut Server Option (Version 3.0) |
| Vinyl Express | Q54 Gen3 | Cut Server Option (Version 3.0) |
| Vinyl Express | Q54 | Cut Server Option (Version 3.0) |
| Vinyl Express | Q60 | Cut Server Option (Version 3.0) |
| Vinyl Express | Q64 Gen3 | Cut Server Option (Version 3.0) |

Fiery proServer and Fiery XF 8.0 supported cutters

| Cutter Brand | Cutter Model | Required Product Option |
|---------------|-----------------------|---------------------------------|
| Vinyl Express | Q64 | Cut Server Option (Version 3.0) |
| Vinyl Express | Q75 | Cut Server Option (Version 3.0) |
| Vinyl Express | QE60 | Cut Server Option (Version 3.0) |
| Vinyl Express | QE60+ | Cut Server Option (Version 3.0) |
| Vinyl Express | QE-6000 | Cut Server Option (Version 3.0) |
| Vinyl Express | R Series II/R19 | Cut Server Option (Version 3.0) |
| Vinyl Express | R Series II/R24 | Cut Server Option (Version 3.0) |
| Vinyl Express | R Series II/R31 | Cut Server Option (Version 3.0) |
| Vinyl Express | R Series II/R39 | Cut Marks Option |
| Vinyl Express | R Series II/R44 | Cut Marks Option |
| Vinyl Express | R Series II/R53 | Cut Marks Option |
| Vinyl Express | Rogue Plus | Cut Marks Option |
| Vinyl Express | Rogue Pro | Cut Marks Option |
| Vinyl Express | Rogue | Cut Marks Option |
| Vulcan | FC-500VC | Cut Marks Option |
| Vulcan | FC-700VC | Cut Marks Option |
| Vulcan | SC-350 | Cut Marks Option |
| VyTek | GEM24 | Cut Marks Option |
| VyTek | GEM40 | Cut Marks Option |
| VyTek | GEM54 | Cut Marks Option |
| VyTek | Industrial 4896R 2.5D | Cut Marks Option |
| VyTek | Industrial 4896R 3D | Cut Marks Option |
| VyTek | Industrial 7210R 2.5D | Cut Marks Option |
| VyTek | Industrial 7210R 3D | Cut Marks Option |
| VyTek | Industrial 9610R 2.5D | Cut Server Option (Version 3.0) |
| VyTek | Industrial 9610R 3D | Cut Server Option (Version 3.0) |
| VyTek | Rebel 4X4 2.5D | Cut Server Option (Version 3.0) |
| VyTek | Rebel 4X4 3D | Cut Server Option (Version 3.0) |
| VyTek | Rebel 4X6 2.5D | Cut Server Option (Version 3.0) |
| VyTek | Rebel 4X6 3D | Cut Server Option (Version 3.0) |
| VyTek | Rebel 4X8 2.5D | Cut Server Option (Version 3.0) |
| VyTek | Rebel 4X8 3D | Cut Server Option (Version 3.0) |
| VyTek | VY1000 | Cut Server Option (Version 3.0) |
| VyTek | VY500 | Cut Server Option (Version 3.0) |
| Wild | TA10 Auto Feed | Cut Server Option (Version 3.0) |
| Wild | TA10 Manual Feed | Cut Server Option (Version 3.0) |
| Wild | TA100 Auto Feed | Cut Server Option (Version 3.0) |
| Wild | TA100BL Auto Feed | Cut Server Option (Version 3.0) |
| Wild | TA100BLX Auto Feed | Cut Server Option (Version 3.0) |
| Wild | TA100S Auto Feed | Cut Server Option (Version 3.0) |
| Wild | TA10BL Auto Feed | Cut Server Option (Version 3.0) |
| Wild | TA10BL Manual Feed | Cut Server Option (Version 3.0) |
| Wild | TA10BLX Auto Feed | Cut Server Option (Version 3.0) |
| Wild | TA10S Auto Feed | Cut Server Option (Version 3.0) |
| Wild | TA2 Auto Feed | Cut Server Option (Version 3.0) |
| Wild | TA2 Manual Feed | Cut Server Option (Version 3.0) |
| Wild | TA2L Auto Feed | Cut Server Option (Version 3.0) |
| Wild | TA2L Signtronic | Cut Server Option (Version 3.0) |
| Wild | TA30 Auto Feed | Cut Server Option (Version 3.0) |
| Wild | TA30 Manual Feed | Cut Server Option (Version 3.0) |
| Wild | TA40 Auto Feed | Cut Server Option (Version 3.0) |

Fiery proServer and Fiery XF 8.0 supported cutters

| Cutter Brand | Cutter Model | Required Product Option |
|--------------|------------------------|---------------------------------|
| Wild | TA40 Manual Feed | Cut Server Option (Version 3.0) |
| Wild | TA400 Auto Feed | Cut Server Option (Version 3.0) |
| Wild | TA400C Auto Feed | Cut Server Option (Version 3.0) |
| Wild | TA400G Auto Feed | Cut Server Option (Version 3.0) |
| Wild | TA40G Auto Feed | Cut Server Option (Version 3.0) |
| Wild | TA40G Manual Feed | Cut Server Option (Version 3.0) |
| Wild | TA41 Auto Feed | Cut Server Option (Version 3.0) |
| Wild | TA41 Manual Feed | Cut Server Option (Version 3.0) |
| Wild | TA410 Auto Feed | Cut Server Option (Version 3.0) |
| Wild | TA410E Auto Feed | Cut Server Option (Version 3.0) |
| Wild | TA410ES Auto Feed | Cut Server Option (Version 3.0) |
| Wild | TA500M Auto Feed | Cut Server Option (Version 3.0) |
| Wild | TA500MC Auto Feed | Cut Server Option (Version 3.0) |
| Wild | TA510 Auto Feed | Cut Server Option (Version 3.0) |
| Wild | TA510S Auto Feed | Cut Server Option (Version 3.0) |
| Xenons | Xenons-EPSON-Hybrid | Cut Server Option (Version 3.0) |
| Xenons | Xenons-EPSON-Hybrid-5C | Cut Server Option (Version 3.0) |
| Xenons | Xenons-EPSON-Hybrid-8C | Cut Server Option (Version 3.0) |
| Xpert | DMPL Cutter | Cut Server Option (Version 3.0) |
| Xpert | EH 1101 | Cut Server Option (Version 3.0) |
| Xpert | EH 1351 | Cut Server Option (Version 3.0) |
| Xpert | EH 721 | Cut Server Option (Version 3.0) |
| Xpert | EH 871 | Cut Server Option (Version 3.0) |
| Zeta | CP2415 | Cut Server Option (Version 3.0) |
| Zeta | CP3015 | Cut Server Option (Version 3.0) |
| Zund | L-1200 | Cut Server Option (Version 3.0) |
| Zund | L-1600 | Cut Server Option (Version 3.0) |
| Zund | L-2500 | Cut Server Option (Version 3.0) |
| Zund | L-3000 | Cut Server Option (Version 3.0) |
| Zund | L-800 | Cut Server Option (Version 3.0) |
| Zund | M-1200 | Cut Server Option (Version 3.0) |
| Zund | M-1600 | Cut Server Option (Version 3.0) |
| Zund | M-800 | Cut Server Option (Version 3.0) |
| Zund | P-1200 | Cut Server Option (Version 3.0) |
| Zund | P-1600 | Cut Server Option (Version 3.0) |
| Zund | P-2000 | Cut Server Option (Version 3.0) |
| Zund | P-700 | Cut Server Option (Version 3.0) |
| Zund | XL-1200 | Cut Server Option (Version 3.0) |
| Zund | XL-1600 | Cut Server Option (Version 3.0) |
| Zund | XL-1600Laser | Cut Server Option (Version 3.0) |
| Zund | XL-2500 | Cut Server Option (Version 3.0) |
| Zund | XL-3000 | Cut Server Option (Version 3.0) |
| Zund | XL-800 | Cut Server Option (Version 3.0) |
| Zund | D3 L-3200 | Cut Marks Option |
| Zund | D3 XL-3200 | Cut Marks Option |
| Zund | D3 2XL-3200 | Cut Marks Option |
| Zund | D3 3XL-3200 | Cut Marks Option |
| Zund | G3 XL-1600 | Cut Marks Option |
| Zund | G3 2XL-1600 | Cut Marks Option |
| Zund | G3 3XL-1600 | Cut Marks Option |
| Zund | G3 M-2500 | Cut Marks Option |

Fiery proServer and Fiery XF 8.0 supported cutters

| Cutter Brand | Cutter Model | Required Product Option |
|--------------|--------------|-------------------------|
| Zund | G3 L-2500 | Cut Marks Option |
| Zund | G3 L-3200 | Cut Marks Option |
| Zund | G3 XL-3200 | Cut Marks Option |
| Zund | G3 2XL-3200 | Cut Marks Option |
| Zund | G3 3XL-3200 | Cut Marks Option |
| Zund | G3 M-1600 | Cut Marks Option |
| Zund | L3 C40 | Cut Marks Option |
| Zund | L3 C56 | Cut Marks Option |
| Zund | S3 M-800 | Cut Marks Option |
| Zund | S3 M-1200 | Cut Marks Option |
| Zund | S3 M-1600 | Cut Marks Option |
| Zund | S3 L-1200 | Cut Marks Option |
| Zund | S3 L-1600 | Cut Marks Option |
| Zund | S3 XL-1200 | Cut Marks Option |